

*For more than 35 years, Streamlight has been the trusted source of light used by firefighters, police officers and troops in combat – everyone from the New York City Fire Department to the New Zealand mountain rescue teams! So “Heroes Trust Streamlight” is much more than a slogan. It’s a responsibility we take very seriously.*

*We design and build our products knowing that they are essential tools in life or death situations. We make them more durable, more powerful, and more dependable. With longer runtimes and innovations that make a dramatic difference.*

*And everything we learn from making lights for “heroes” goes into every light we make. Whether it’s a flashlight for an engineer working on an oil rig, a mechanic working on an engine or an outdoorsman tracking game, we make our lights as if lives depend on them. Because they do.*





# OUR INNOVATIONS LIGHT THE WAY

*When Streamlight developed the first million candle power hand-held light for NASA back in the 1970s, we set a new standard and raised the bar for the lighting industry. We've been raising that bar ever since. Streamlight holds over 110 US & foreign patents, and 80 US & foreign trademarks. We're pioneers in rechargeable flashlights. We're revolutionizing LED lights. We've made lights brighter, more compact and virtually indestructible. We've extended the runtimes. And we're still coming up with dramatic new ways to make our customers' jobs easier and safer.*

- 1st million candela (Peak Beam Intensity) portable Xenon arc light – SL-1 Million
- 1st halogen rechargeable flashlight – SL-20®
- 1st halogen rechargeable lantern – LiteBox®
- 1st single-cell AAA miniature light – Key-Mate®
- 1st convertible headlight/flashlight – TopSpot®
- 1st compact, high-performance rechargeable – Stinger®
- 1st LED/Xenon combination – Cyclone®
- 1st illuminated handcuff key – CuffMate®
- 1st LED penlight – Stylus®
- 1st co-molded rubber/plastic flashlights – ProPolymers®
- 1st dual-switch LED Stinger® – Stinger DS™ LED

# ILLUMINATION TOOLS FULL-LINE CATALOG

LAW ENFORCEMENT // FIRE/RESCUE // MILITARY // SPORTING GOODS // INDUSTRIAL // ELECTRICAL // HVAC // AUTO // HARDWARE

## STREAMLIGHT COMPANY INFO

<i>SL Line Overview</i>	<i>Pgs. 4-5</i>
<i>SL History &amp; Innovation</i>	<i>Pgs. 6-7</i>
<i>SL Innovations/Rechargeables &amp; LEDs</i>	<i>Pgs. 8-9</i>
<i>Product Safety Ratings</i>	<i>Pgs. 10-11</i>
<i>Choosing the Right Light</i>	<i>Pg. 12</i>
<i>Glossary of Terms</i>	<i>Pg. 98</i>
<i>SL People Behind the Lights</i>	<i>Back Cover</i>

## STREAMLIGHT PRODUCT INFO

<i>Streamlight Light Specs</i>	<i>Pgs. 88-95</i>
<i>Features at a Glance</i>	<i>Pgs. 96-98</i>

## RECHARGEABLE PRODUCTS

<i>Stinger® LED Series</i>	<i>Pgs. 16-17</i>
<i>Stinger® Series</i>	<i>Pgs. 18-21</i>
<i>Strion®</i>	<i>Pg. 22</i>
<i>SL Series</i>	<i>Pgs. 24-25</i>
<i>Fire Vulcan® LED</i>	<i>Pg. 28</i>
<i>Fire Vulcan®</i>	<i>Pg. 30</i>
<i>Vulcan®</i>	<i>Pg. 31</i>
<i>HID LiteBox® Series</i>	<i>Pgs. 32-33</i>
<i>LiteBox® Series</i>	<i>Pg. 34</i>
<i>FireBox® Series</i>	<i>Pg. 35</i>
<i>Survivor® LED Series</i>	<i>Pg. 38</i>
<i>Survivor® Series</i>	<i>Pg. 39</i>
<i>Vantage™</i>	<i>Pg. 41</i>

## NON-RECHARGEABLE PRODUCTS

<i>ProPolymer® Series</i>	<i>Pgs. 44-49</i>
<i>Super Tac™</i>	<i>Pg. 52</i>
<i>NightFighter® / NightFighter® LED</i>	<i>Pg. 53</i>
<i>Scorpion® / Scorpion® LED</i>	<i>Pg. 53</i>
<i>TL-2® / TL-3® Series</i>	<i>Pgs. 54-55</i>
<i>Thunder Ranch® Illumination Systems</i>	<i>Pg. 56</i>
<i>Tactical Gun-Mount / TLR Series</i>	<i>Pgs. 57</i>
<i>Sidewinder® Series</i>	<i>Pgs. 58-59</i>
<i>Camo Series</i>	<i>Pgs. 62-63</i>
<i>Buckmasters® Series</i>	<i>Pgs. 64</i>
<i>Stylus® Series</i>	<i>Pgs. 66-68</i>
<i>Stylus Reach® Series</i>	<i>Pg. 69</i>
<i>SL Headlamp Series</i>	<i>Pgs. 72-75</i>
<i>Twin-Task® Series</i>	<i>Pgs. 78-81</i>
<i>Task-Light® Series</i>	<i>Pgs. 82-83</i>
<i>SL Pocket Lights</i>	<i>Pgs. 84-85</i>
<i>Night Com®</i>	<i>Pgs. 86-87</i>
<i>Streamlight Jr.® LED Series</i>	<i>Pgs. 86-87</i>

# STREAMLIGHT LINE OVERVIEW



LEADING THE INDUSTRY



STINGER® LED pg.16



STINGER DS™ LED pg.16



STINGER® pg.18



STINGER XT® pg.18



STINGER HP® pg.18



STINGER XT HP® pg.18



FIRE VULCAN® LED pg. 29



FIRE VULCAN® pg. 30



VULCAN® pg. 31



HID LITEBOX® pg. 32



LITEBOX® pg. 33



FIREBOX® pg. 35



4AA PROPOLYMER® LUX pg. 46



4AA PROPOLYMER® XENON pg. 47



4AA PROPOLYMER® LED pg. 47



3C PROPOLYMER® XENON pg. 48



3C PROPOLYMER® LED pg. 48



TL-2® LED pg. 54



TL-3® pg. 54



THUNDER RANCH®  
ILLUMINATION SYSTEM pg. 54



THUNDER RANCH® URBAN RIFLE  
ILLUMINATION SYSTEM pg. 54



TLR-1® pg. 54



TLR-2® pg. 54



STYLUS®  
pg. 66



STYLUS® UV  
pg. 66



STYLUS® IR  
pg. 66




MICROSTREAM®  
pg. 68



STYLUS PRO®  
pg. 68



STYLUS REACH®  
pg. 69



STYLUS REACH® 18  
pg. 69



TWIN-TASK®  
1-CELL LITHIUM pg. 79



TWIN-TASK®  
2-CELL LITHIUM pg. 79



TWIN-TASK® 3AA  
pg. 79



TWIN-TASK® 2D  
pg. 79



TWIN-TASK® 3C  
pg. 80



TWIN-TASK® 3C-UV  
pg. 80



CLIPMATE® pg. 84



KEY-MATE® pg. 84



NANO LIGHT® pg. 84



CUFFMATE® pg. 84



NIGHT COM® pg. 86

# WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS AND LANTERNS:



ULTRASTINGER® pg. 20



POLYSTINGER® pg. 21



STRION® pg. 22



SL-20X® pg. 24



SL-20X® LED pg. 24



SL-20XP® pg. 24



SL-20XP® LED pg. 24



SURVIVOR® LED pg. 38



SURVIVOR® pg. 39



VANTAGE™ pg. 41



2AA PROPOLYMER® pg. 44



2AA PROPOLYMER® LED pg. 44



3N PROPOLYMER® pg. 44



3C PROPOLYMER® LUX pg. 48



SUPER TAC™ pg. 52



NIGHTFIGHTER® pg. 52



NIGHTFIGHTER® LED pg. 53



SCORPION® pg. 53



SCORPION® LED pg. 53



TL-2® pg. 54



SIDEWINDER® pg. 58



BUCKMASTERS®  
TWIN-TASK® 2L pg. 62



BUCKMASTERS®  
CAMO TRIDENT® pg. 62



TWIN-TASK® RECHARGEABLE  
pg. 63



CAMO CLIPMATE®  
pg. 63



CAMO KEY-MATE®  
pg. 63



3AA HAZ-LO® pg. 72



ARGO® pg. 72



ARGO® HP pg. 72



TRIDENT® pg. 74



GREEN TRIDENT® pg. 74



ENDURO® pg. 74



SEPTOR® pg. 74



TWIN-TASK® 3C LASER  
pg. 80



TWIN-TASK® 3AAA LASER  
pg. 80



TASK-LIGHT® 1AA  
pg. 82



TASK-LIGHT® 2AA  
pg. 82



TASK-LIGHT® 3AAA  
pg. 82



TASK-LIGHT® 3AA LED  
pg. 83



STREAMLIGHT JR.®  
REACH LED pg. 86



STREAMLIGHT JR.® LED  
pg. 86

STREAMLIGHT

INNOVATIONS



# OUR BUSINESS IS BUILT ON PRINCIPLES.

## STREAMLIGHT LIGHTING THE WAY FOR OVER 30 YEARS

<b>1973</b>	Streamlight was founded to supply solar simulators for NASA.	<b>1980</b>	Invented the LiteBox® Lantern.	<b>1989</b>	Streamlight introduces the Survivor® line, still the #1 right-angle rechargeable flashlight in the world.	<b>1998</b> <b>1999</b>	New product development initiative results in Vulcan®, Stylus® and ProPolymer® series.	<b>2001</b>	Streamlight leads the market with innovative LED lighting products.
<b>1975</b>	Introduced the first halogen lamp rechargeable flashlight.	<b>MID 1980's</b>	Variety of miniature flashlights introduced.	<b>1994</b>	Stinger® series introduced – becomes law enforcement standard. Scorpion® introduced – lithium powered flashlight with rubber grip.	<b>2000</b>	Streamlight builds state-of-the-art manufacturing facility/ corporate headquarters in Eagleville, PA.		

**WE LISTEN. WE LEARN. WE GET IT.**

We make it a point to get out in the field and talk to our customers. We hold focus groups to hear what they like about our products; but we're more interested in what they don't like, what needs to be improved, and what lighting problems have yet to be solved. Customer feedback helps us continually improve existing products and create new and better ones.

Since the most extreme hazardous conditions are often in dark places, Streamlight created a complete line of safety-rated lights. For the industrial market, we've developed lighting tools that are safe to use even around explosive gases and in other potentially explosive atmospheres.

Auto technicians can now easily see into the smallest, darkest engine crevices, thanks to the Streamlight Stylus Reach®, a powerful, lightweight penlight with a flexible cable.

Our green LED clip-on penlights and headlamps are keeping outdoor enthusiasts safer, with an LED light so strong, it's visible from over a mile away.

**WE DIDN'T INVENT CUSTOMER SERVICE; WE JUST PERFECTED IT.**

Our success is directly related to our ability to satisfy customers. So we take customer service very seriously.

Our inside sales department includes specialists in each of the markets we serve. They go through extensive training on all our products, even working on the assembly line and in the repair shop. They know Streamlight products inside/out. They understand the challenges you face and they know how to help you find the best lights and get the most from your purchases. We'll work with you and do whatever it takes to help you.

**STREAMLIGHT WARRANTS ITS PRODUCTS TO BE FREE OF DEFECTS FOR A LIFETIME OF USE.\***

Our "Limited Lifetime Warranty" supports our tough, durable, long-lasting lights. We will repair, replace or refund the purchase price, at our option, of any Streamlight product that does not work or that you manage to break for as long as you own it. Of course, this limited lifetime warranty excludes abuse, batteries,

bulbs and chargers. Rechargeable batteries and chargers have a 1-year warranty.


In the unlikely event that you have a problem with a Streamlight product, go to [www.streamlight.com](http://www.streamlight.com) for the location of an authorized Streamlight repair center near you.

**WORLD-CLASS.**

It's no wonder that Streamlight is recognized around the world as the leading provider of premium portable lighting solutions.

Our products are distributed in over 60 countries, and our new website allows our U.S. and International customers to stay up-to-date with the latest Streamlight products and news.

\* SideWinder light not included.



**2004**

Streamlight introduces Strion®, the world's first ultra-compact rechargeable. Weighing just 4.6 oz. with its innovative lithium ion rechargeable battery, Strion shines as bright as lights 5 times its size.

**2006**

Streamlight introduces our first aluminum-bodied gun-mounted lights, the TLR-1® & TLR-2®. LED versions of the Stinger® and Survivor® are created, raising the standard for duty lights and right-angle firefighters' lights. Streamlight incorporates LED technology into the Stinger®, along with several brightness levels and a strobe function.

**2008**

C4 Power LED technology introduced in select lights. This new Photonic Crystal Technology combined with an innovative, Streamlight-engineered reflector makes C4 LEDs up to 3X brighter than previous generation LEDs.

**2008**

**2003**

Twin-Task® patented combination LED/Xenon flashlights introduced. New Tactical line premieres featuring Super High-Flux LEDs. Fire Vulcan® aids firefighter safety as the first fire lantern with LED tail lights.

**2005**


FireBox®, with bright blue LED tail lights that help firefighters be seen in heavy smoke, is released. Streamlight teams with Clint Smith of Thunder Ranch to create tactical light illumination systems.

**2007**

The dual-switch Stinger DS™ LED debuts. Streamlight introduces the HID LiteBox, a true million candela (Peak Beam Intensity) with a beam that reaches 1.5 miles!

NEW FOR 2008  
**C4™ TECHNOLOGY**  
 ELEVATES LED PERFORMANCE

Thanks to a new technology known as C4, Streamlight is able to triple the brightness of an LED. Our new LED lights that use C4 technology have an intense, long-reaching bright beam that pierces the darkness. These new, brighter C4 Power LEDs are made possible by a combination of a new diode chip and Streamlight's innovative use of reflectors to magnify, direct, and intensify the light beam.



*This new tactical light features a deep parabolic reflector and C4™ Power LED technology, making it one of the brightest lights you'll ever use.*



STINGER® LED



SURVIVOR® LED



TL-2® LED



SCORPION® LED



STREAMLIGHT JR.®  
 REACH LED



STYLUS REACH®

**STREAMLIGHT RECHARGEABLES... AN INNOVATION THAT SAVES LIVES, AS WELL AS MONEY!**

Streamlight created the first high-intensity halogen rechargeable light. Unlike a standard D-cell flashlight, you can depend on a Streamlight rechargeable to work instantly in even the harshest conditions. And you can count on it to keep on working for years. A Streamlight rechargeable light can be charged up to 1,000 times.

**MORE POWERFUL. MORE ECONOMICAL.**

Streamlight rechargeables pack a lot more power than a D-cell. The UltraStinger®, for example, produces 75,000 Peak Beam Intensity but fits in a case 12" long and weighs just one pound. The Strion®, with Lithium Ion battery technology, packs 12,000 candela (Peak Beam Intensity) into a 5.3" package and weighs less than 5 ounces! And only Streamlight rechargeables come with universal cords that attach to any Streamlight charger.

Our rechargeables are infinitely more dependable than D-cell flashlights, and more cost-efficient. Over the average 4-year life of a Streamlight rechargeable, you'll save more than \$300 in disposable batteries. (See our chart on page 12.)

**NEW LED TECHNOLOGY LEAVES ORDINARY LED LIGHTS IN THE DARK.**

Streamlight played a major role in adapting LED (Light Emitting Diode) technology to portable lighting tools. The benefits of LEDs make them a very attractive choice:

- LEDs run longer – up to 336 hrs. between recharging or changing batteries
- LEDs last almost forever – more than 100,000 hours!
- LEDs are virtually unbreakable since there is no glass or filament.
- LEDs are available in colors for special applications:



- Green for outdoor enthusiasts (preserves night vision, won't spook game, can be seen from far distances)



- Cool Blue for forensic investigators



- Ultraviolet (UV) for the detection of fraudulent documents; also used for forensics and for HVAC and automotive applications to detect leaks.

But with all these benefits, there was still a downside to LEDs: Traditionally, LEDs are not as bright as incandescent lights.

Thanks to a new technology known as C4, Streamlight is able to triple the brightness of an LED. Our new LED lights that use C4 technology have an intense, long-reaching bright beam that pierces the darkness. These new, brighter C4 Power LEDs are made possible by a combination of a new diode chip and Streamlight's innovative use of reflectors to magnify, direct, and intensify the light beam.

**THE BEST OF BOTH WORLDS.** Of course, there's still a place for conventional bulbs. And sometimes it's right in the same flashlight with an LED! We're the only company to offer the most effective LED/incandescent hybrid combination on the market. Our patented Twin-Task® line and SL-20X®-LED, SL-20XP®-LED lights let you switch between a high-power xenon bulb and a long-lasting LED.

**OUR LATEST INNOVATIONS GIVE HEROES MORE REASONS TO TRUST STREAMLIGHT.**

Police officers told us they need to be able to quickly access the light switch, no matter how they're holding the light. So we created a duty light with full-functioning switches in both the head and tailcap (Stinger DS™ LED). For military Special Ops, we designed a compact light that does the job of 20 lights (Sidewinder®). For firefighters, we've got a light that helps cut through thick smoke (Survivor®), and lanterns with front and rear lights so they can see and be seen by other firefighters (Fire



SL-20X®-LED



3C PROPOLYMER® LUX



4AA PROPOLYMER® LUX



TLR-2®



TWIN-TASK® 2D

STREAMLIGHT

SAFETY-RATED



## STREAMLIGHT HAS MORE SAFETY-RATED LIGHTS TO GIVE YOU MORE OPTIONS IN HAZARDOUS LOCATIONS.

**WHY ARE SAFETY RATINGS IMPORTANT?** There are several different types of hazardous locations in which it can be extremely dangerous to use any light that has not been specially designed for that kind of location. These are areas where fire or explosion hazards may exist due to the presence of flammable gases, liquids, vapors, dusts or ignitable fibers or flyings.

Streamlight subjects its lights to the most rigorous testing – and meets or exceeds the standards of leading independent laboratories such as Factory Mutual Research Corporation, Underwriters Laboratories Inc. and Demko. It's your assurance that the Streamlight flashlight you choose will be safe, reliable and tough enough for the job.

### DIFFERENT LIGHTS FOR DIFFERENT HAZARDOUS LOCATIONS.

The National Electric Code (NEC) defines hazardous locations by "class" and "division." There are three classes:



**CLASS I** locations are made hazardous by the presence of flammable gases, liquids or vapors




**CLASS II** locations are hazardous because combustible dusts are present.



**CLASS III** locations contain easily ignitable fibers or flyings.

The "Division" designation refers to the likelihood that ignitable concentrations of flammable materials are present.



There are two divisions:

**DIVISION 1** designates an environment where ignitable concentrations of flammable gases, liquids, vapors or dusts can exist some of the time or all of the time under normal operating conditions or where easily ignitable fibers and flyings are manufactured, handled or used.



**DIVISION 2** locations are where ignitable concentrations are not likely to exist under normal operating conditions or where Class 3 materials are stored or handled.

Hazardous classes are further defined by "groups" based on the physical properties of their combustible materials.

These groups include (but are not limited to):

**GROUP A** Acetylene

**GROUP B** Hydrogen



**GROUP C** Ethylene, carbon monoxide

**GROUP D** Propane, gasoline, naphtha, benzene, butane, ethyl alcohol, acetone, methane

**GROUP E** Metals including aluminum, magnesium (Div. 1 only)

**GROUP F** Carbonaceous dusts including coal, carbon black, coke

**GROUP G** Dusts not included in E and F including wood, plastics, flour, starch or grain dusts.



**STREAMLIGHT HAS THE SAFETY YOU NEED AND THE POWER, PERFORMANCE & DEPENDABILITY YOU WANT.**

Streamlight has the light you need, no matter what kind of hazardous location you'll be working in. We offer more choices than ever with the addition of the 3AA HAZ-LO®, our first Class I / Division 1 safety-rated headlamp. Streamlight makes it easy to choose a light with all the qualities you want. The safety ratings are prominently displayed on the packaging and literature for all Streamlight products.

	<b>NEC</b>	<b>ATEX</b>
<b>Occurrence</b>	<b>Class I</b>	<b>Group II</b>
Continuous	Div. 1	Zone 0
Likely		Zone 1
Not likely	Div. 2	Zone 2

**ATEX RATINGS:** As of July 2003, mandatory compliance to the European Union (EU) Directive 94/9/EC (ATEX) for all products intended for use in potentially explosive atmospheres within the EU member countries came into effect.

Differing from the NEC, the ATEX Directive categorizes equipment into Group I (mining) and Group II (non-mining) applications according to the relevant protection methods used in their design. Similar to divisions, "zones" (0, 1 or 2) and gas groups; A (propane), B (ethylene) and C (Acetylene and Hydrogen), are used to define Group II hazardous area characteristics. For a particular zone and group a specific equipment category and protection concept are required.

Further, all approved flashlights are temperature rated from T1 (less than or equal to 450°C) to T6 (less than or equal to 85°C) and the flashlight you select partly depends on the auto ignition temperature characteristics of the substances you may encounter and the ambient temperature (adjusted to 40°C) of the area.

This document contains a simplified explanation of safety approvals and list of some of the substances and conditions for which the approval is valid. It is not intended as a substitute for a thorough understanding of the subject. Remember; you or the "Authority Having Jurisdiction" are responsible for the proper selection and application, in a properly defined area, of any hazardous locations approved product. The National Fire Protection Agency (NFPA), The International Electrotechnical Association (IEC) as well as most certifying agencies offering hazardous locations services are helpful references for defining hazardous locations.

Streamlight flashlights have been tested and approved by the world's leading independent laboratories such as Factory Mutual Research Corporation, Underwriters Laboratories Inc. and Demko. It's your assurance that the Streamlight flashlight you choose will be safe, reliable and tough enough for the job – characteristics that have distinguished our products for over a quarter century.



# A QUICK GUIDE TO CHOOSING THE RIGHT LIGHT

*Streamlight makes serious lighting tools for a wide variety of applications. We also make it easy to select the light that's best for your specific needs. Just think about how you will use the light and consider these basic questions:*

**BATTERY TYPE?** Over the life of a light, traditional batteries are more costly than rechargeables if your light gets frequent use. If you keep your rechargeable light in its charger when not in use, it's always ready and fully-charged when you need it. However, it's easier to replace disposable batteries in the field when the batteries run out.

**SAFETY RATING?** It's important to know if you'll be working in a hazardous environment and exactly what type of hazards may be present. Some flashlights can be very dangerous in certain environments. The information on page 10 will help you choose a light that's both safe and effective for your needs.

**DISPOSABLE OR RECHARGEABLE?** Disposable batteries, either alkaline or lithium, have excellent storage life, 7 and 10 years respectively. They generally offer longer runtimes for a given bulb power and are typically lower in initial purchase price and easier to keep spares on hand. Their operating costs are considerably higher than rechargeables (see chart) and they are seldom as bright. Lithium cells have high energy density, but are even more costly than alkaline.

Typical Costs of a Rechargeable vs. Disposable		
Year	Rechargeable Flashlight Costs	D-Cell Flashlight Costs
1st	\$97*	\$103**
2nd	\$0	\$78
3rd	\$0	\$78
4th	\$0	\$78
	\$97	\$337

\* Average suggested cost of a rechargeable flashlight

\*\* Includes \$25 flashlight purchase and a year's worth of replacement batteries

Rechargeable flashlights using nickel cadmium, lead acid or lithium ion batteries feature extraordinarily low operating expense and are well suited for frequent use. They can often support a brighter bulb or LED and store conveniently in custom charger holders. Their initial purchase price is higher and they self discharge at a higher rate when in storage.

**LIGHT MEASUREMENT?** We recommend that a user consider two light measurement factors when choosing a portable light:

**1. TOTAL LIGHT OUTPUT** Lumens is a good measure of the overall visible light energy. It may be the total light coming from a bare bulb or the actual measured system output of the lighting device. It is largely a function of the light power of the bulb or LED. Lumens do not indicate how bright a target will appear. We use an integrating sphere to measure lumens.

**2. PEAK BEAM INTENSITY** The brightest spot of a focused beam expressed in Candela. It is a function of the bulb and the effectiveness of the reflector in producing a focused beam. It yields a good representation of the tightness of the focus and the apparent brightness of the light on target at distance. We use a photometer, usually 100 feet away, to measure Peak Beam Intensity.

**LIGHT OUTPUT IS ALSO AFFECTED BY THE KIND OF BULB OR LED THAT'S IN YOUR LIGHT. HERE'S A RUNDOWN OF YOUR CHOICES:**

**INCANDESCENT** Streamlight uses premium gas-filled lamps for high performance. Both xenon and halogen lamps provide high output for their size and a white, natural-appearing light. Halogen lamps "blacken" less as they age and may have longer life than xenon. Both require periodic replacement and can fail on extreme impact. They are easily focused – most powerful, highest performance, top choice for long distances.

**LEDS (LIGHT EMITTING DIODES)** Solid-state construction. Very durable and long-lived – up to 100,000 hours. Do not require periodic replacement. Soft focus, short range. Good for close work. Typically much less power than incandescent lamp, but can give extremely long (100's of hours) runtimes at low illumination levels.

**SUPER HIGH-FLUX LED** Reliability of an LED with the performance of an incandescent. Extremely durable, lasting 10,000 to 50,000 hours.

**COMBINATION LED/INCANDESCENT** Streamlight's exclusive patented LED/Xenon combination lights combine the long running times and durability of LEDs with the brightness of an incandescent. Arguably the best of both worlds.


**C4 TECHNOLOGY LED** The latest LED technology uses a new diode chip and Streamlight's innovative use of reflectors to magnify, direct, and intensify the light beam. You get all the benefits of an LED with an intense beam that in many cases exceeds the brightness of an incandescent.

**HID LIGHTS (HIGH INTENSITY DISCHARGE)** HID Lights feature rugged high pressure plasma arc lamps that generate more lumens per watt than LEDs or incandescent lamps. These lights can produce thousands of lumens.

## LUMENS AND PEAK BEAM INTENSITY



"Lumens" of a bulb, LED or flashlight system is a measurement of the entire light output. (Focus is not considered.)



"Peak Beam Intensity" is a measure of the brightest spot in a focused beam. A.K.A. Peak Beam Candlepower.



**STREAMLIGHT**

Heroes Trust Streamlight



**STINGER<sup>®</sup>**  
**SERIES**


TYPE

RECHARGEABLE



STINGER/STRION SERIES

- Stinger® LED
- Stinger DS™ LED
- Stinger®
- Stinger XT®
- Stinger HP®
- Stinger XT HP®
- UltraStinger®
- PolyStinger®
- Strion®




RECHARGEABLE

# STINGER LED SERIES

The original Stinger® set the standard for duty lights. Now the new Stinger® LED raises that standard to a whole new level. It has multiple lighting options, including a strobe and a super bright, white-hot, long-range beam with a wider circle of light that increases your peripheral vision. The LED won't break or burn out. Stinger® LED delivers the lowest operating cost of any flashlight in its class!



## COMMON FEATURES



- A. Machined aircraft aluminum with non-slip rubberized comfort grip
- B. 3 watt, C4 Power LED
- C. Ni-Cd battery recharges up to 1,000 times
- D. Serialized for positive identification



UPDATED PRODUCT


**STINGER® LED** This powerful, long-range, long-running flashlight has a wide peripheral circle of bright white light coupled with an intense spot of light.

Includes anti-roll ring.




UPDATED PRODUCT

**STINGER DS™ LED** A powerful, long-running, long-lasting LED with all the same great features as the Stinger® LED. It has full-feature tailcap switch in addition to the head-mounted push-button switch.



TYPICAL LED LIGHT



STINGER® LED

Other LED flashlights provide only a small amount of peripheral vision. The Stinger® LEDs casts a wider, brighter looking circle of light that reveals dangers you might miss.



Includes anti-roll ring.

**STINGER® LED**

- C4 Power LED, 50,000 hour lifetime
- A combination of rechargeability and LED technology that produces the lowest operating cost of any flashlight in its class!
- Deep-dish parabolic reflector
- Up to 18,000 candela (Peak Beam Intensity) and up to 140 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Multi-function push-button switch designed for extremely long life; tested at 1 million actuations
- High brightness: Up to 1.75 continuous hours  
Medium brightness: Up to 3.50 continuous hours  
Low brightness: Up to 6.75 continuous hours  
Strobe: Up to 5.50 continuous hours
- Fast Charger available
- Fits existing Stinger chargers
- **Length:** 8.41" **Weight:** 12.4 oz. **Color:** Black

75713	with AC/DC - 2 Holders
75711	with AC
75712	with DC
75732	with AC/DC - 1 PiggyBack Holder
75733	with AC - PiggyBack Holder
75734	with DC - PiggyBack Holder
75735	with AC/DC Fast Charger - 2 Holders
75714	with AC Fast Charger
75715	with DC Fast Charger
75716	with AC/DC - 1 Fast Charger PiggyBack Holder
75736	with AC - Fast Charger PiggyBack Holder
75737	with DC - Fast Charger PiggyBack Holder
75710	without Charger

**CE**  
Meets applicable European  
Community Directives

2.5-hour "Smart" Fast Charger



Colored Lenses



12V DC Charge Cords



**STINGER DS™ LED**

- C4 Power LED, 50,000 hour lifetime
- A combination of rechargeability and LED technology that produces the lowest operating cost of any flashlight in its class!
- Deep-dish parabolic reflector
- Up to 18,000 candela (Peak Beam Intensity) and up to 140 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Multi-function push-button & tailcap switches (operate independently) designed for extremely long life; tested at 1 million actuations
- High brightness: Up to 1.75 continuous hours  
Medium brightness: Up to 3.50 continuous hours  
Low brightness: Up to 6.75 continuous hours  
Strobe: Up to 5.50 continuous hours
- Fast Charger available
- Fits existing Stinger chargers
- **Length:** 8.85" **Weight:** 12.8 oz. **Color:** Black

75813	with AC/DC - 2 Holders
75811	with AC
75812	with DC
75832	with AC/ DC PiggyBack
75833	with AC PiggyBack
75834	with DC PiggyBack
75835	with AC/DC Fast Charger
75814	with AC Fast Charger
75815	with DC Fast Charger
75816	with AC/DC Fast Charger PiggyBack
75836	with AC Fast Charger PiggyBack
75837	with DC Fast Charger PiggyBack
75810	without Charger

**CE**  
Meets applicable European  
Community Directives

2.5-hour "Smart" Fast Charger



Colored Lenses




12V DC Charge Cords



RECHARGEABLE

# STINGER SERIES

These compact, super-bright, rechargeable, lightweight personal lights are the most powerful lights ever made in their size. The machined aluminum housing that's anodized against corrosion and the unbreakable polycarbonate lens make the Stingers virtually indestructible.



## COMMON FEATURES



A. The only machined aluminum flashlights to earn UL listing for Class I, II, Div. 2\*

B. Serialized for positive identification

C. Nickel-cadmium battery recharges up to 1,000 times

D. Xenon gas-filled bi-pin bulb with variable spot to flood beam and 30-hour life

E. LED charge-continuity indicator; compact, snap-in charger mounts in any position

\* Applies to Stinger® and Stinger HP®. The PolyStinger® is UL listed for Class I, II, Div. 2 as well.



**STINGER®** The standard flashlight in law enforcement the world over.




**STINGER XT®** Compact, powerful, rechargeable flashlight with easy-to-locate tactical tailcap switch.



**STINGER HP®** Lightweight, high-performance rechargeable flashlight that delivers up to 40,000 Peak Beam Intensity.



**STINGER XT HP®** High-performance, compact, rechargeable flashlight with easy-to-locate tactical tailcap switch; delivers up to 40,000 Peak Beam Intensity.



10-hour  
Charger

2.5-hour  
"Smart"  
Fast Charger

PiggyBack®  
Charger



5 Unit Bank Charger,  
120V or 230V AC

Colored Lenses



Infrared  
Lens



Patented  
Battery Stick

12V DC  
Charge  
Cords



100V, 120V, 230V,  
240V AC Charge Cords






Safety Wands




Holsters

Ring Holder




**STINGER®**

<ul style="list-style-type: none"> <li>• Xenon gas-filled bi-pin bulb; spare bulb in tailcap</li> <li>• Adjustable focus beam</li> <li>• Up to 15,000 candela (Peak Beam Intensity); 125 lumens</li> <li>• 3-cell 3.6V nickel-cadmium sub-C battery</li> <li>• Up to 1 hour continuous use</li> <li>• Fast Charger available</li> <li>• <b>Length: 7.38" Weight: 10 oz. Color: Black</b></li> </ul>	75014	with AC/DC - 2 Holders
	75001	with AC
	75002	with DC
	75300	with AC/DC - 1 PiggyBack Holder
	75301	with AC - PiggyBack Holder
	75302	with DC - PiggyBack Holder
	75024	with AC/DC Fast Charger - 2 Holders
	75021	with AC Fast Charger
	75022	with DC Fast Charger
	75303	with AC/DC 1 Fast Charger PiggyBack Holder
	75304	with AC Fast Charger PiggyBack Holder
	75305	with DC Fast Charger PiggyBack Holder
	75000	without Charger
	   <p>Class I, Div. 2, Grps A,B,C,D T1; Class II, Div. 2, Grp F,G T3    Class I, Div. 2, Grps A,B,C,D T1; Class II, Div. 2, Grp F,G T3    Meets applicable European Community Directives</p>	


**STINGER XT®**

<ul style="list-style-type: none"> <li>• Xenon gas-filled bi-pin bulb with 30-hour life</li> <li>• Adjustable focus beam</li> <li>• Push-button tailcap switch for one-hand momentary or constant operation</li> <li>• Up to 15,000 candela (Peak Beam Intensity); 125 lumens</li> <li>• 3-cell 3.6V nickel-cadmium sub-C battery</li> <li>• Up to 1 hour continuous use</li> <li>• <b>Length: 7.7" Weight: 11.1 oz. Color: Black</b></li> </ul>	75013	with AC/DC - 2 holders
	75011	with AC
	75012	with DC
	75306	with AC/DC - 1 PiggyBack Holder
	75307	with AC PiggyBack Holder
	75308	with DC PiggyBack Holder
	75124	with AC/DC Fast Charger - 2 holders
	75121	with AC Fast Charger
	75122	with DC Fast Charger
	75309	with AC/DC - 1 Fast Charger PiggyBack Holder
	75310	with AC Fast Charger PiggyBack Holder
	75311	with DC Fast Charger PiggyBack Holder
	75010	without Charger
	 <p>Meets applicable European Community Directives</p>	

**STINGER HP®**

<ul style="list-style-type: none"> <li>• Xenon gas-filled bi-pin bulb with 30-hour life</li> <li>• Adjustable focus beam</li> <li>• Up to 40,000 candela (Peak Beam Intensity); 120 lumens</li> <li>• 3-cell 3.6V nickel-cadmium sub-C battery</li> <li>• Up to 1 hour continuous use</li> <li>• <b>Length: 8.25" Weight: 12.2 oz. Color: Black</b></li> </ul>	75503	with AC/DC - 2 Holders
	75501	with AC
	75502	with DC
	75523	with AC/DC - 1 PiggyBack Holder
	75521	with AC - PiggyBack Holder
	75522	with DC - PiggyBack Holder
	75506	with AC/DC Fast Charger - 2 Holders
	75504	with AC Fast Charger
	75505	with DC Fast Charger
	75526	with AC/DC - 1 Fast Charger PiggyBack Holder
	75524	with AC Fast Charger PiggyBack Holder
	75525	with DC Fast Charger PiggyBack Holder
	75500	without Charger
	   <p>Class I, Div. 2, Grps A,B,C,D T1; Class II, Div. 2, Grp F,G T3    Class I, Div. 2, Grps A,B,C,D T1; Class II, Div. 2, Grp F,G T3    Meets applicable European Community Directives</p>	

**STINGER XT HP®**

<ul style="list-style-type: none"> <li>• Xenon gas-filled bi-pin bulb with 30-hour life</li> <li>• Adjustable focus beam</li> <li>• Push-button tailcap switch for one-hand momentary or constant operation</li> <li>• Up to 40,000 candela (Peak Beam Intensity); 120 lumens</li> <li>• 3-cell 3.6V nickel-cadmium sub-C battery</li> <li>• Up to 1 hour continuous use</li> <li>• <b>Length: 8.63" Weight: 14.6 oz. Color: Black</b></li> </ul>	75513	with AC/DC - 2 Holders
	75511	with AC
	75512	with DC
	75533	with AC/DC - 1 PiggyBack Holder
	75531	with AC - PiggyBack Holder
	75532	with DC - PiggyBack Holder
	75516	with AC/DC Fast Charger - 2 Holders
	75514	with AC Fast Charger
	75515	with DC Fast Charger
	75536	with AC/DC - 1 Fast Charger PiggyBack Holder
	75534	with AC Fast Charger PiggyBack Holder
	75535	with DC Fast Charger PiggyBack Holder
	75510	without Charger
	 <p>Meets applicable European Community Directives</p>	

RECHARGEABLE

# STINGER SERIES

**ULTRASTINGER®** The brightest Streamlight flashlight available, providing up to 75,000 candela (Peak Beam Intensity).



**ULTRASTINGER®**

- 30-hour life xenon-halogen gas-filled bi-pin bulb
- Adjustable focus beam
- Up to 75,000 candela (Peak Beam Intensity); 295 lumens
- 5-cell 6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- Push-button head switch
- **Length:** 11.75" **Weight:** 1.1 lbs. **Color:** Black

78014	with AC/DC - 2 holders
78001	with AC
78002	with DC
78024	with AC/DC Fast Charger - 2 Holders
78021	with AC Fast Charger
78022	with DC Fast Charger
78000	without Charger



Meets applicable European Community Directives

<p>10-hour Charger</p>	<p>PiggyBack® Charger</p>	<p>2.5-hour "Smart" Fast Charger</p>	<p>5 Unit Bank Charger, 120V or 230V AC</p>	<p>Colored Lenses Infrared Lens</p>	<p>Patented Battery Stick</p>	<p>12V DC Charge Cords 100V, 120V, 230V, 240V AC Charge Cords</p>	<p>Safety Wands</p>	<p>Holsters Ring Holder</p>	<p>Ultra-Head Upgrade Kit</p>
------------------------	---------------------------	--------------------------------------	---	---	-------------------------------	---	---------------------	---------------------------------	-------------------------------



**POLYSTINGER®** Lightweight, powerful, rechargeable flashlight with super-tough, non-conductive nylon polymer construction that makes it virtually indestructible.

**POLYSTINGER®**

- Xenon gas-filled bi-pin bulb with 30-hour life; spare bulb in tailcap
- Adjustable focus beam
- Polymer construction with non-slip grip
- Up to 15,000 candela (Peak Beam Intensity); 125 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- **Length: 7.4" Weight: 8.7 oz. Colors: Black, Yellow or Olive Drab**



Class I, Div. 2, Grps A,B,C,D T1;  
Class II, Div. 2, Grp G T3



Meets applicable European  
Community Directives

76306	with AC/DC 1 PiggyBack Holder - Black
76312	with AC/DC 1 PiggyBack Holder - Olive Drab
76301	with AC PiggyBack Holder - Yellow
76307	with AC PiggyBack Holder - Black
76313	with AC PiggyBack Holder - Olive Drab
76302	with DC PiggyBack Holder - Yellow
76308	with DC PiggyBack Holder - Black
76314	with DC PiggyBack Holder - Olive Drab
76024	with AC/DC Fast Charger - 2 holders - Yellow
76524	with AC/DC Fast Charger - 2 holders - Black
76606	with AC/DC Fast Charger - 2 holders - Olive Drab
76021	with AC Fast Charger - Yellow
76521	with AC Fast Charger - Black
76604	with AC Fast Charger - Olive Drab
76022	with DC Fast Charger - Yellow
76522	with DC Fast Charger - Black
76605	with DC Fast Charger - Olive Drab
76303	with AC/DC 1 Fast Charger PiggyBack Holder - Yellow
76309	with AC/DC 1 Fast Charger PiggyBack Holder - Black
76315	with AC/DC 1 Fast Charger PiggyBack Holder - Olive Drab
76304	with AC Fast Charger PiggyBack Holder - Yellow
76310	with AC Fast Charger PiggyBack Holder - Black
76316	with AC Fast Charger PiggyBack Holder - Olive Drab
76305	with DC Fast Charger PiggyBack Holder - Yellow
76311	with DC Fast Charger PiggyBack Holder - Black
76317	with DC Fast Charger PiggyBack Holder - Olive Drab
76000	without Charger - Yellow
76500	without Charger - Black
76600	without Charger - Olive Drab

76014	with AC/DC 2 Holders - Yellow
76514	with AC/DC 2 Holders - Black
76603	with AC/DC 2 Holders - Olive Drab
76001	with AC - Yellow
76501	with AC - Black
76601	with AC - Olive Drab
76909	with AC Clam Packaged - Yellow
76907	with AC Clam Packaged - Black
76905	with AC Clam Packaged - Olive Drab
76002	with DC - Yellow
76502	with DC - Black
76602	with DC - Olive Drab
76908	with DC Clam Packaged - Yellow
76906	with DC Clam Packaged - Black
76900	with DC Clam Packaged - Olive Drab
76300	with AC/DC 1 PiggyBack Holder - Yellow

<p>10-hour Charger</p>	<p>2.5-hour "Smart" Fast Charger</p>	<p>PiggyBack® Charger</p>	<p>5 Unit Bank Charger, 120V or 230V AC</p>	<p>Colored Lenses</p>	<p>Infrared Lens</p>	<p>Patented Battery Stick</p>	<p>12V DC Charge Cords</p>	<p>100V, 120V, 230V, 240V AC Charge Cords</p>	<p>Safety Wands</p>	<p>Holsters</p>	<p>Ring Holder</p>
----------------------------	--	-------------------------------	---	-----------------------	--------------------------	-----------------------------------	------------------------------------	---	---------------------	-----------------	--------------------

**STRION®** It's ultra-compact – just 4.6 oz. – but it's as bright as lights 5 times its size, thanks to an innovative lithium ion rechargeable battery and xenon bulb. The Strion® is the only rechargeable gun mounted light system on the market.



Accessory long gun mount available.



TactCap™  
Removable tailcap design for quick, easy momentary operation.



**STRION®**

- 3.6V, 6 watt xenon gas-filled bi-pin bulb; spare bulb in tailcap
- Lithium ion 3.75V battery with on-board safety control circuit
- Up to 70 minutes continuous use between charges
- Up to 12,000 candela (Peak Beam Intensity), 116 lumens
- Adjustable focus beam
- Rechargeable up to 300 times on 100V, 120V, 230V, 240V AC, or 12V DC chargers
- Clamp-style charger holder with digital control circuit that prevents over charge; LED indicates charge status. Fully recharged in 2.5 hrs.
- Momentary and constant-on modes
- Grooved barrel provides superior rail mount retention
- Serrated tailcap
- Extended push button on Tactical Model
- Rail mount available
- Rail mount fits long guns with 1913 (Picatinny style) rails
- **Length:** 5.3" **Weight:** 4.6 oz. **Color:** Black



6 Unit Bank Charger



Colored filters



Safety Wands



Rechargeable Batteries



Rail Mount

Holsters



Meets applicable European Community Directives

74002	with AC/12V DC (2) Holder
74001	with AC/12V DC (1) Holder
74003	with AC
74004	with DC
74000	without Charger
74202	Tactical with AC/12V DC Holder & Tactical Mount**
74203	Tactical with 12V DC & Tactical Mount**
74201	Tactical - without Charger (Mount not included)



# SL-20X<sup>®</sup>/XP<sup>®</sup>


## SERIES

TYPE

RECHARGEABLE



SL-20X/SL-20XP SERIES

SL-20X<sup>®</sup>SL-20X<sup>®</sup> LEDSL-20XP<sup>®</sup>SL-20XP<sup>®</sup> LED

RECHARGEABLE

# SL SERIES

This versatile family of rechargeable personal lights has the power and the durability you need for almost any job. Choose from a variety of features, including Streamlight's patented dual incandescent/LED; and no matter which SL light you choose, you get these great features:



## COMMON FEATURES



- A. Unbreakable polycarbonate lens with scratch-resistant coating
- B. Individual serialization for easy identification
- C. Nickel-cadmium rechargeable battery
- D. Rechargeable up to 1,000 times on 100V, 120V, 230V, 240V AC, or 12V DC chargers



**SL-20X®** Full-size, professional grade, high intensity, rechargeable flashlight.



**SL-20X® LED** Full-size, professional grade rechargeable flashlight is now brighter and has 40-hr. runtime LEDs for backup illumination.



**SL-20XP®** The SL-20XP is a full size professional grade, lightweight, high-intensity, rechargeable flashlight.



**SL-20XP® LED** Full-size yet lightweight incandescent/LED rechargeable that combines the brightness of an incandescent with the extended run time of LEDs.



Safety Wands



Battery Sticks



Lamp Module



Ring Holder

Deluxe Nylon Holster



5 Unit Bank Charger, 120V or 230V AC



Charge Sleeve



12V DC Charge Cords



100V, 120V, 230V & 240V Charge Cords

**SL-20X®**

- 10 watt, 6V pre-focused halogen lamp with tungsten filament
- Up to 30,000 candela (Peak Beam Intensity); 200 lumens
- Constant-on and momentary modes
- Three-position (on-off-blink) push-button switch guaranteed for life
- Machined aircraft aluminum with anodized finish
- Up to 1.5 hours continuous use
- 6V, 2.4 amp-hour, 1/2 D nickel cadmium rechargeable battery

- Serialized for positive identification
- O-Ring sealed, water resistant
- **Length: 13" Weight: 1.9 lbs. Color: Black**

CE

Meets applicable European  
Community Directives

26010	with AC/12V DC - 2 Sleeves
26060	with AC
26120	with DC
26000	without Charger

**SL-20X® LED**

- 10 watt, 6V halogen lamp with 100-hr. lifetime plus three high-intensity, 100,000-hr. life LEDs
- Up to 38,000 candela (Peak Beam Intensity) (200 lumens) from halogen bulb; 30 lumens from 3 LEDs
- Dual switch control for halogen and LEDs
- Momentary and constant on for halogen; constant on for LEDs
- Machined aircraft aluminum with anodized finish
- Up to 80 minutes runtime with halogen only; up to 40 hrs. with LEDs only; emergency backup LED – 1 hr. minimum (After full halogen run)

- High-capacity sub-C nickel-cadmium rechargeable battery
- Power Failure Feature – when light is in charger in the “on” position, it will come on automatically during power failure
- O-Ring sealed, water resistant
- **Length: 13.2" Weight: 1.7 lbs. Color: Black**

CE

Meets applicable European  
Community Directives

20203	with AC/DC - 2 Sleeves
20201	with AC
20202	with DC
20200	without Charger

**SL-20XP®**

- 8 watt halogen bulb with a 100-hour lifetime
- Pre-focused halogen beam of up to 25,000 candela (Peak Beam Intensity); 150 lumens
- Lightweight, super-tough nylon polymer case with non-slip rubber comfort grip
- Runs 1.5 hours
- Constant-on and momentary modes
- Three-position (on-off-blink) push-button switch guaranteed for life
- High-capacity sub-C, nickel-cadmium rechargeable battery
- Serialized for positive identification
- O-Ring sealed, water resistant
- **Length: 13" Weight: 16 oz. Colors: Black, Yellow or Orange**

25041	with AC/DC 2 SLV - Yellow
25011	with AC/DC 2 SLV - Black
25031	with AC/DC 2 SLV - Orange
25036	with AC - Yellow
25006	with AC - Black
25026	with AC - Orange
25037	with DC - Yellow
25007	with DC - Black
25027	with DC - Orange
25002	without Charger - Yellow
25000	without Charger - Black
25001	without Charger - Orange

CE

Meets applicable European  
Community Directives**SL-20XP® LED**

- 8 watt, 6V halogen bulb with a 100-hour lifetime
- Pre-focused halogen beam of up to 28,000 candela (Peak Beam Intensity)
- 3 white LEDs with 100,000-hour lifetime provide up to 30 lumens; bulb rating is 150 lumens
- Lightweight, super-tough nylon polymer case with non-slip rubber comfort grip
- Run time is 1.5 hours for halogen only; 40 hrs. for LEDs only; emergency backup LED (after full halogen run) = 1 hr. min.
- Dual switches to select halogen or LEDs
- Constant-on and momentary modes
- High-capacity sub-C, nickel-cadmium battery
- Power Failure Feature – when light is in charger in the “on position, it will come on auto-matically during power failure
- **Length: 13.2" Weight: 1.1 lbs. Colors: Black, Yellow or Orange**

25183	with AC/DC 2 SLV - Yellow
25103	with AC/DC 2 SLV - Black
25123	with AC/DC 2 SLV - Orange
25181	with AC - Yellow
25101	with AC - Black
25121	with AC - Orange
25182	with DC - Yellow
25102	with DC - Black
25122	with DC - Orange
25180	without Charger - Yellow
25100	without Charger - Black
25120	without Charger - Orange



# VULCAN<sup>®</sup> & LITEBOX<sup>®</sup> SERIES

TYPE

RECHARGEABLE



## VULCAN/LITEBOX SERIES

Fire Vulcan® LED


Fire Vulcan®

Vulcan®

HID LiteBox®

FireBox®

LiteBox®





# FIRE VULCAN LED SERIES



The brightest and the lightest rechargeable LED lantern in its class! It weighs just 1.85 pounds and delivers 80,000 candela (Peak Beam Intensity). New C4 LED technology produces an ultra-bright beam that's 5 times brighter than competing lights. Life-saving bright blue tail lights ensure you can be seen from any direction, even in thick smoke.

**FIRE VULCAN® LED** The brightest rechargeable LED lantern in its class! It's brighter, lighter and smarter.

Ultra-bright blue taillight LEDs make certain you can be seen even in thick smoke



**TWO FIRE VULCAN LED MODELS:**

**Standard System** – Includes charging rack and both AC and DC chargers

**Vehicle Mount System** – Includes 12V DC vehicle-mountable direct-wire charging rack



New Photonic Crystal Technology combined with an innovative, Streamlight-engineered reflector makes C4 LEDs up to 3X brighter than previous generation LEDs.

**FIRE VULCAN® LED**

- C4 LED, 50,000 hr. lifetime
- Two ultra-bright blue LEDs
- Strobe and Steady Modes
- Up to 80,000 candela (Peak Beam Intensity)
- Run times are up to 3 hrs. with steady high LED & taillights; up to 3 hrs.; low: up to 6 hours
- Two lightweight lithium ion nanotechnology cells; recharges in 5 hrs
- 8 programmable functions
- Easy to operate toggle switch
- IPX7 rated design - waterproof to 1 meter for 30 minutes
- Quick-release strap
- Fits existing Streamlight Vulcan chargers
- Serialized for positive identification
- **Length: 7.5" Width: 5" Height: 6.5" Weight: 1.85 lbs.**
- **Color: High-Visibility Orange**

44450	Fire Vulcan LED Standard System with AC/DC. Orange
44451	Fire Vulcan LED Vehicle Mount with DC. Orange
44454	Fire Vulcan LED without charger. Orange

**NFPA**

*Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position*

**CE**

*Meets applicable European Community Directives*



Charging Rack



12V DC Charge Cords



100V, 120V, 230V, 240V AC Charge Cords



Quick Release Strap

RECHARGEABLE

# FIRE VULCAN SERIES

In a smoke-filled room, it's not only important that you can see – it's critical that you can be seen. In addition to the high-intensity halogen lamp, the rechargeable Fire Vulcan® has two powerful, ultra-bright LED taillights. Your partners can follow you through the thickest smoke; and they can find you fast in an emergency. The toggle switch makes it easy to go between strobe and steady modes, so you can use it to increase visibility at a fire or accident scene or signal for help.



**FIRE VULCAN®** A life-saving innovation.  
The only lantern with taillight LEDs to help you be seen even in thick smoke.

### TWO FIRE VULCAN MODELS:

- Standard System** – Includes charging rack and both AC and DC chargers
- Vehicle Mount System** – Includes 12V DC vehicle-mountable direct-wire charging rack



### FIRE VULCAN®

- High-intensity halogen 8 watt spot bi-pin bulb and two ultra-bright blue LEDs
- Strobe and Steady Modes
- Up to 80,000 candela (Peak Beam Intensity) with halogen bulb
- Bulb Rating: 150 lumens typical
- Run times are up to 3 hrs. with steady halogen & LEDs; up to 6 hrs. with blinking halogen and LEDs; up to 60 hours with blinking LEDs only
- 6V 4.5 amp-hour rechargeable battery can be recharged up to 500 times
- Quick-release strap
- Serialized for positive identification
- Waterproof
- **Length:** 7.5" **Width:** 5" **Height:** 5 3/4" **Weight:** 3.3 lbs.
- **Color:** High-Visibility Orange

44400	Standard System dual rear LEDs, quick release shoulder strap. 120V AC/12V DC. (8WS) Orange
44401	Vehicle Mount System dual rear LEDs, quick release shoulder strap. 12V DC. (8WS) Orange
44411	without Charger - with dual rear LEDs and quick release shoulder strap. (8WS) Orange


**FM**  
APPROVED  
Class I, Div. 2, Groups A, B, C, D, T2A  
Class II, Div. 2, Groups F, G  
Class III, T3C

**SR**  
Class I, Div. 2, Groups A, B, C, D, T2A  
Class II, Div. 2, Groups F, G  
Class III, T3C

**NFPA**  
Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position

**CE**  
Meets applicable European Community Directives

**Ex**  
FTZÚ 04 ATEX 0180  
II 3G EEx n AL IIC T2-T4  
II 3D T53-62°C



Charging Rack



12V DC Charge Cords



100V, 120V, 230V, 240V AC Charge Cords



Quick Release Strap



Battery

# VULCAN SERIES

The introduction of the Vulcan® several years ago represented a major breakthrough. It was the first truly safety approved compact, lightweight, waterproof lantern that was big on power. And talk about tough! It's almost impossible to destroy a Vulcan®. Buildings collapse on them, trucks drive over them, fires scorch them, and they keep shining. Their compact size and durable waterproof construction, combined with a powerful beam and rechargeability, make the Vulcan® series ideal for the most demanding jobs.



**VULCAN®** Industrial-duty, lightweight, rechargeable, waterproof lantern; it's virtually indestructible.

### THREE VULCAN MODELS:

**Standard System** – Includes AC and DC chargers and charging rack.

**Vehicle Mount System** – Comes with vehicle-mountable hard-wire rack.

**Dual Filament System** – Features a 3-position toggle switch for easy use with gloves. Includes an 8 watt spot dual filament bulb for an instant backup, plus AC and DC chargers and charging rack.

Dual filament bulb provides instant emergency backup when required.



### VULCAN®

- High-intensity halogen bi-pin bulb: 8 watt spot or xenon dual filament 8 watt safety bulb delivers instant backup beam
- 8 watt spot provides up to 80,000 candela (Peak Beam Intensity) (bulb lumens: 150 typical)
- Dual filament 8 watt spot has up to 70,000 candela (Peak Beam Intensity) each (bulb lumens: 157 typical)
- Up to 3.25 hrs. continuous run time per charge
- Zero-maintenance 4.5 amp-hour sealed lead acid battery is rechargeable up to 500 times
- Red and green LEDs give charge status
- Serialized for positive identification
- High-impact ABS thermoplastic housing with rubberized cushioned grip handle, Shoulder strap
- Waterproof
- **Length: 7.5" Width: 5" Height: 6.5" Weight: 3.3 lbs.**
- **Colors:** High-Visibility Yellow or International Safety Orange



44000	Standard System - with AC/DC, shoulder strap & charging rack. (8WS) - Yellow
44001	Vehicle Mount System - with DC with shoulder strap (8WS) - Yellow
44200	Dual Filament Standard System - with AC/DC, shoulder strap & charging rack. (8WS) - Yellow
44201	Dual Filament Vehicle Mount System - with DC with shoulder strap (8WS) - Yellow
44215	without Charger - Yellow, with shoulder strap
44500	Standard System - with AC/DC, shoulder strap & charging rack. (8WS) - Orange
44501	Vehicle Mount System - with DC with shoulder strap (8WS) - Orange
44520	Dual Filament Standard System - with AC/DC, shoulder strap & charging rack. (8WS) - Orange
44521	Dual Filament Vehicle Mount System - with DC with shoulder strap (8WS) - Orange
44511	without Charger - Orange, with shoulder strap

**FM APPROVED**  
Class I, Div. 2, Groups A, B, C, D, T2A  
Class II, Div. 2, Groups F, G  
Class III, T3C




**SP**  
Class I, Div. 2, Groups A, B, C, D, T2  
Class II, Div. 2, Groups F, G  
Class III, T2A

**NFPA**  
Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position

**CE**  
Meets applicable European Community Directives

**Ex**  
Vulcan  
FTZÜ 04 ATEX 0180  
II 3G EEx n AL IIC T4  
II 3D T53°C

**Ex**  
Dual Filament Vulcan  
FTZÜ 04 ATEX 0180  
II 3G EEx n AL IIC T2-T4  
II 3D T53-62°C



# HID LITEBOX SERIES

The HID LiteBox® has the intensity and peripheral illumination to light an entire scene; plus navigation LEDs for low-light maneuvering. 90° swivel neck design makes it ideal for field maintenance, inspection of construction sites and remote equipment, it's a heavy-duty, rechargeable, completely portable high-intensity search that does it all.



**HID LITEBOX®** Portable one million candela (Peak Beam Intensity) high intensity search light powers up instantly and illuminates objects a mile away!



HID LiteBox shown with shoulder strap and mount rack



Swivel neck shown in 90° position



Swivel neck shown in 45° position

## HID LITEBOX®

- 35 watt HID xenon lamp 3,350 lumens, 1,000,000 candela (Peak Beam Intensity); 2,000 hr. min. lifetime
- Runtimes: HID lamp: up to 1.75 hrs., LEDs 100 hrs. +
- Zero-maintenance, 12V, 7 Ah sealed lead acid battery is rechargeable up to 500 times
- White 5mm LED (x2): 9 Lumens (each), impervious to shock with a 100,000 hr. lifetime
- Serialized for positive identification
- High-impact ABS thermoplastic housing with rubberized cushioned grip handle
- Fits existing LiteBox® Mounting Racks (the HID LiteBox requires the High Capacity AC Charger Cord P/N 22665)
- Includes shoulder strap and flood lens
- **Length:** 14.9" **Width:** 5.1" **Height:** 8.8" **Weight:** 10.1 lbs.  
**Colors:** Safety Orange or Black

45601	with AC/DC - Orange
45621	with AC/DC - Black
45605	Vehicle Mount System with DC - Orange
45625	Vehicle Mount System with DC - Black
45600	without Charger - Orange
45620	without Charger - Black



HID Bulb Kit



Battery



IR Filter



Charging Rack



100V, 120V, 230V, 240V AC Charge Cords

Flood Lens (Not shown)

RECHARGEABLE

# LITEBOX SERIES

The rugged, dependable LiteBox® was the first lantern with a swivel neck for full right angle lighting. It runs up to 9 hours and is now brighter than ever with an innovative new bulb configuration. The high-intensity halogen bi-pin bulb, available in spot or flood, provides a beam of up to 105,000 candela (Peak Beam Intensity). An optional xenon Dual Filament system is available, providing the security of a backup safety beam.



**LITEBOX®** Portable, powerful, industrial-duty, rechargeable lantern with 90° swivel head lets you aim the super-bright light in any direction.


### FOUR LITEBOX MODELS:

**Standard System** Includes shoulder strap, AC and DC chargers and mounting rack. Available in International Safety Orange or High-Visibility Yellow.


**Vehicle Mount System** Comes with vehicle-mountable hard-wire charge rack and shoulder strap. Available in International Safety Orange or High-Visibility Yellow.

**Power Failure System** Features AC charger and "smart" power failure circuitry that automatically goes on when power goes off. Available in International Safety Orange or beige.

**Dual Filament System** Includes an 8 watt spot dual filament bulb for instant backup, AC and DC chargers, charge rack and shoulder strap. Available in International Safety Orange or High-Visibility Yellow.



Power Failure System

 Dual filament bulb provides instant emergency backup when required.

### LITEBOX®

- High-intensity halogen bi-pin bulb available in 8 watt and 20 watt spot and flood. Xenon dual filament 8 watt safety bulb features instant backup beam
- Bulb Type Candela (Peak Beam Intensity) Lumens (typical)
 

Bi-pin bulb: 8 watt flood =	1,500	150
Bi-pin bulb: 20 watt flood =	3,000	400
Bi-pin bulb: 8 watt spot =	80,000	150
Bi-pin bulb: 20 watt spot =	105,000	400
Dual Filament: 8 watt spot =	70,000 each	157
- High-impact ABS thermoplastic housing with rubberized impact bumper, lens ring, and cushioned-grip handle
- Up to 9 hrs. continuous run time per charge depending on bulb type
- Length: 11.5" Width: 5.1" Height: 7" Weight: 7.4 lbs.

CE

Meets applicable European Community Directives

NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position.



45117	Standard System with AC/DC, shoulder strap & mounting rack (8WS) - Yellow	45104	Vehicle Mount System with DC, shoulder strap (20WS) - Yellow
45109	Standard System with AC/DC, shoulder strap & mounting rack (20WS) - Yellow	45107	Vehicle Mount System with DC, shoulder strap (8WS) - Orange
45113	Standard System with AC/DC, shoulder strap & mounting rack (20WF) - Yellow	45102	Vehicle Mount System with DC, shoulder strap (20WS) - Orange
45116	Standard System with AC/DC, shoulder strap & mounting rack (8WS) - Orange	45707	Dual Filament Vehicle Mount System with DC, shoulder strap (8WS) - Yellow
45110	Standard System with AC/DC, shoulder strap & mounting rack (20WS) - Orange	45706	Dual Filament Vehicle Mount System with DC, shoulder strap (8WS) - Orange
45111	Standard System with AC/DC, shoulder strap & mounting rack (20WF) - Orange	45131	Power Failure System with AC/DC Chargers & mounting rack (8WS) - Orange
45705	Dual Filament Std. System with AC/DC, shoulder strap & mounting rack (8WS) - Yellow	45127	Power Failure System with AC/DC Chargers & mounting rack (8WF) - Orange
45704	Dual Filament Std. System with AC/DC, shoulder strap & mounting rack (8WS) - Orange	45133	Power Failure System with AC/DC Chargers & mounting rack (8WS) - Beige
45108	Vehicle Mount System with DC, shoulder strap (8WS) - Yellow	45129	Power Failure System with AC/DC Chargers & mounting rack (8WF) - Beige

# FIREBOX SERIES

The revolutionary FireBox® is one of the most important firefighting tools to come along in years. It has bright blue taillight LEDs so your partners can see you even through thick smoke. It also has a 90° swivel neck so you can see in any direction. You can set it on its base, aim the bright light and still use the rear LEDs. The high-intensity halogen bi-pin bulb 8 watt spot provides a super-bright searchlight of up to 80,000 candela (Peak Beam Intensity). Plus you get an exceptionally long runtime – up to 9 hrs. on a single charge.



**FIREBOX®** Industrial duty, portable lantern with a halogen bi-pin bulb and (2) ultra-bright blue LEDs.



### TWO FIREBOX MODELS:

- Standard System** – Includes charging rack and both AC and DC chargers
- Vehicle Mount System** – Includes 12V DC vehicle-mountable direct-wire charging rack

### FIREBOX®

- High-intensity halogen 8 watt spot bi-pin bulb and two ultra-bright blue LEDs
- 8 Programmable Lighting Modes including Steady and Blinking
- Up to 80,000 candela (Peak Beam Intensity) with halogen bulb
- Bulb Rating: 150 lumens typical
- Run times are up to 9 hrs. with halogen; up to 8 hrs. with halogen and LEDs; up to 100 hours with LEDs only
- 6V 12 amp-hour rechargeable battery can be recharged up to 500 times
- High-impact ABS thermoplastic housing with rubberized impact bumper, lens ring, and cushioned-grip handle
- Heavy-duty strap
- Fits existing LiteBox charging racks
- Serialized for positive identification
- Toggle switch
- **Length: 11.5" Width: 5.1" Height: 7" Weight: 7.4 lbs.**
- **Colors:** International Safety Orange, High Visibility Yellow

45311	Standard System - with dual rear LEDs with AC/DC, shoulder strap & mounting rack (8WS) - Yellow
45301	Standard System - with dual rear LEDs with AC/DC, shoulder strap & mounting rack (8WS) - Orange
45312	Vehicle Mount System - with dual rear LEDs with DC, shoulder strap. (8WS) - Yellow
45302	Vehicle Mount System - with dual rear LEDs with DC, shoulder strap. (8WS) - Orange
45310	without Charger - with dual rear LEDs. (8WS) (Fits existing LiteBox mounting racks) - Yellow, with shoulder strap
45300	without Charger - with dual rear LEDs. (8WS) (Fits existing LiteBox mounting racks) - Orange, with shoulder strap

**CE**  
Meets applicable European Community Directives

**NFPA**  
Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position.

Lamp Assembly

Battery

Standard and Direct Wire Mounting Racks

Shoulder Straps

Locking Devices

Quick Release Straps




100V, 120V, 230V, 240V AC Charge Cords



12V DC Charge Cords

# ***SURVIVOR***<sup>®</sup> ***SERIES***



TYPE

RECHARGEABLE



SURVIVOR/VANTAGE SERIES

Survivor® LED

Survivor®

Vantage™



RECHARGEABLE

# SURVIVOR LED SERIES



We took the #1 right-angle firefighters' light and gave it a super-bright LED that lasts almost forever. At 8,500 candela (Peak Beam Intensity), it's one of the brightest LED flashlights in the world. It won't break or burn out and you'll never have to change the bulb. And you'll always have the power you need since it runs on either the rechargeable nickel-cadmium battery or 4 "AA" alkaline batteries.



UPDATED PRODUCT

**SURVIVOR® LED** Introducing Survivor® LED. The Brightest, Right-Angle LED Flashlight In the World! Class 1, Div. 1 rated!



Alkaline battery pack holds 4 "AA" alkaline batteries

## SURVIVOR® LED

- 3 watt super high-flux LED, with 50,000 hour lifetime
- Lamp and battery housings and battery base made of high-impact, super-tough nylon for exceptional durability
- LED Rating: 65 Lumens typical. Deep-dish parabolic reflector produces narrow beam with a 500 ft. range; ideal for smoke-cutting applications. Optimum peripheral illumination to aid in navigation.
- Runtimes: up to 3 hrs. on high beam up to 6 hrs. low beam
- All openings are O-ring sealed for weather resistance
- Industrial rechargeable nickel-cadmium 4.8V, 1.8 amp-hour, 4-cell sub-C battery pack or optional (4) "AA" alkaline battery pack
- 3-modes: high, low and strobe functions
- Serialized for easy identification
- Fits existing Survivor chargers
- **Height:** 7.06" **Width:** 2.85" **Depth:** 2.87" – Height in charger: 8.67"  
**Weight:** 17.9 oz. with Ni-Cd pack, 13.1 oz. with alkaline pack  
**Colors:** International Safety Orange, High-Visibility Yellow or Black

90513	with Charger/Holders and AC & DC cords - Yellow
90503	with Charger/Holders and AC & DC cords - Orange
90523	with Charger/Holders and AC & DC cords - Black
90512	with AC Fast Charger - Yellow
90502	with AC Fast Charger - Orange
90522	with AC Fast Charger - Black
90519	with DC - Yellow
90509	with DC - Orange
90528	with DC - Black
90510	without Charger - Yellow
90500	without Charger - Orange
90520	without Charger - Black
90541	Alkaline Model - Yellow
90540	Alkaline Model - Orange
90545	Alkaline Model - Black

### Rechargeable Model

**UL LISTED** Class I, Div. 1, Groups C & D  
Class I, Div. 2, Groups A,B,C,D,  
Temp Code: T4  
Class II, Div. 2 Groups F & G  
Class III, Temp Code: T4

**cUL LISTED** Class I, Div. 1, Groups C & D  
Class I, Div. 2, Groups A,B,C,D,  
Temp Code: T4  
Class II, Div. 2, Groups F&G  
Class III, Temp Code: T4, Exia

**NFPA** Rack meets requirements of NFPA 1901-12.1.7 (1999) mounted in any position

**Ex** FTZÚ 06 ATEX II 2G Ex e ib IIB T4

**CE** Meets applicable European Community Directives

### Alkaline Model

**UL LISTED** Class I, Div. 1, Groups C & D  
Class I, Div. 2, Groups A,B,C,D,  
Temp Code: T4  
Class II, Div. 2 Groups F & G  
Class III, Temp Code: T4

**cUL LISTED** Class I, Div. 1, Groups C & D  
Class I, Div. 2, Groups A,B,C,D,  
Temp Code: T4  
Class II, Div. 2, Groups F&G  
Class III, Temp Code: T4, Exia

**Ex** FTZÚ 06 ATEX 0285X II 1G Ex ia IIB T4

5 Unit bank Charger, 120V or 230V AC



10-hour Steady Charge Holder



Rechargeable Battery Pack

12V DC Charge Cords



PiggyBack® Charger for charging light and spare battery pack simultaneously.



100V, 120V, 230V, 240V AC Charge Cords

# SURVIVOR SERIES

A lightweight, handheld personal light with right angle head designed to clip on to turn-out gear for easy, hands-free use. Available with Streamlight's exclusive Smoke Cutter optics that penetrate smoke, fog and mist for improved visibility.



**SURVIVOR®** Tough, durable, portable lantern certified for hazardous locations.



### SURVIVOR®

- Features a 5.5 watt, black-dot xenon bulb with anti-glare coating for maximum visibility in smoke & fog
- Up to 25,000 candela (Peak Beam Intensity) (114 lumens)
- Lamp and battery housings and battery base made of high-impact, super-tough nylon for exceptional durability
- All openings are O-ring sealed for weather resistance
- Runs up to 1.70 continuous hours between charges. Optional spare battery can be speed-loaded in seconds.
- Industrial rechargeable nickel-cadmium 4.8V, 1.8 amp-hour, 4-cell sub-C battery pack
- Serialized for easy identification
- **Height:** 6.75" **Width:** 2.85" **Depth:** 2.87" – Height in charger: 8.5"  
**Weight:** 15.4 oz. w/o charger **Colors:** International Safety Orange or High-Visibility Yellow

90243	Div. 2 model with 2 Charger/Holders and AC & DC cords - Yellow
90043	Div. 2 model with 2 Charger/Holders and AC & DC cords - Orange
90265	Div. 2 model with PiggyBack Charger/Holder, AC & DC cords & 2 batteries - Yellow
90065	Div. 2 model with PiggyBack Charger/Holder, AC & DC cords & 2 batteries - Orange
90262	Div. 2 model with AC Fast Charger - Yellow
90062	Div. 2 model with AC Fast Charger - Orange
90264	Div. 2 model with DC Fast Charger Cigarette Lighter - Yellow
90064	Div. 2 model with DC Fast Charger Cigarette Lighter - Orange
90241	Div. 2 model with AC PiggyBack Fast Charger and 2 batteries - Yellow
90041	Div. 2 model with AC PiggyBack Fast Charger and 2 batteries - Orange
90242	Div. 2 model with DC PiggyBack Fast Charger Cigarette Lighter & 2 batteries - Yellow
90042	Div. 2 model with 12V DC PiggyBack Fast Charger Cigarette Lighter & 2 batteries - Orange
90244	Div. 2 model - without Charger - Yellow
90044	Div. 2 model - without Charger - Orange



Class I, Div. 2, Groups A,B,C,D, T2  
Class II, Div. 2, Groups F & G  
Class III, Temp Code: T4



Class I, Div. 2, Groups A,B,C,D, T2  
Class II, Div. 2, Groups F & G  
Class III, Temp Code: T4

**NFPA**

Rack meets requirements of NFPA 1901-12.1.7 (1999) mounted in any position



FTZU 04 ATEX 0179  
II 3G EEx nL IIC T3  
II 3D T80°C

**CE**

Meets applicable European Community Directives



5 Unit bank Charger, 120V or 230V AC



10-hour Steady Charger Holder



Replacement Bulbs



Rechargeable Battery Pack


12V DC Charge Cords



100V, 120V, 230V, 240V AC Charge Cords



PiggyBack® Charger for charging light and spare battery pack simultaneously. (Available in Fast or Steady Charge)



# VANTAGE SERIES

VANTAGE is hands down the best hands-free firefighters' light! It's long-running, lightweight and ultra-bright, thanks to the latest C4 LED technology. It easily attaches above or below full brim helmets and fits snugly against the helmet to prevent snags. It features a bright blue safety tail light to help you be seen even in thick smoke.



**VANTAGE™** Introducing the solution to firemen's hands-free lighting needs. Compact, powerful, shock-proof, and virtually indestructible!



New Photonic Crystal Technology combined with an innovative, Streamlight-engineered reflector makes C4 LEDs up to 3X brighter than previous generation LEDs.



Dual direction, easy access On/Off switch

470nm ultra-bright blue taillight LED

Clamp our new vantage light with C4 LED technology onto any traditional or modern firefighter's helmet or hard hat. It rotates and can be clamped above or below the brim. The Vantage has 80 lumens of light and a blue safety taillight LED.

### VANTAGE™

- Powered by two 3-volt CR123A lithium batteries w/10-year storage life
- C4 LED, 50,000 hr. lifetime and 470nm ultra-bright blue LED
- Up to 4,500 candela (Peak Beam Intensity) and 80 lumens measured system output.
- 6 hours of continuous runtime
- Swivel clamp and insertable 5° angle adjuster to optimize beam location
- Machined aluminum sealed construction with black anodized finish, High impact, chemically resistant engineering polymer LED housing
- IPX7 rated; waterproof to 1 meter for 30 minutes
- Reflective strip
- Dual direction, easy access On/Off switch
- 470nm ultra-bright blue taillight LED
- **Length:** 3.26" **Width:** 1.47" **Height:** 2.56" with clamp
- **Weight:** 5.14 oz.




Meets applicable European Community Directives

69140

Vantage LED Tactical Helmet Light, Black





**PROPOLYMER<sup>®</sup>**  
**SERIES**


TYPE

NON-RECHARGEABLE



PROPOLYMER SERIES

- 2AA ProPolymer®
- 2AA ProPolymer® LED
- 3N ProPolymer®
- 4AA ProPolymer® Lux
- 4AA ProPolymer® Xenon
- 4AA ProPolymer® LED
- 3C ProPolymer® Xenon
- 3C ProPolymer® LED
- 3C ProPolymer® Lux



NON-RECHARGEABLE

# PROPOLYMER SERIES

These lightweight, affordable, alkaline battery-powered personal lights are extremely durable, long-lasting, and powerful. Available in 2AA, 4AA, 3C and 3N configurations.



## COMMON FEATURES



- A. Virtually indestructible, non-conductive polymer with a scratch-resistant lens for impact & shock-resistance
- B. Unbreakable polycarbonate lens
- C. Convenient tailcap on/off/blink switch

UPDATED PRODUCT



**2AA PROPOLYMER®** Tough, super-convenient, extra-bright flashlight. It's co-molded grip ensures it'll stay in your hand.



UPDATED PRODUCT

**2AA PROPOLYMER® LED** Impact and shock resistant LED flashlight that provides 18 hours of run time.








**3N PROPOLYMER®** Extremely lightweight, alkaline battery-powered personal light features three ultra-bright LEDs.

**2AA PROPOLYMER®**

- Powered by 2 “AA” alkaline batteries
- Xenon gas-filled bi-pin bulb, many times brighter than conventional flashlights
- Up to 4,500 candela (Peak Beam Intensity) (9 lumens typical)
- Runs up to 4 continuous hrs.
- Waterproof
- Features a wrist lanyard connection and pocket clip
- **Length:** 6.3" **Weight:** 3.6 oz. **Color:** Yellow



Rubber Helmet Strap




67201	with alkaline batteries - Blister packaged - Yellow
 Class I, Div. 1, Groups C, D; Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Group F&G; Class III, T3C	
 Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Group F&G; Class III, T3C	
 Permissible for use in Gassy Mines, Methane/air only. Appr. No. 10C-648-0	
 II 2G Ex e ib IIB T5 SEV 07 ATEX 0120	
 Meets applicable European Community Directives	

**2AA PROPOLYMER® LED**

- Powered by 2 “AA” alkaline batteries
- .5w super-bright, high-flux 30,000-hour life LED
- 25 lumens typical
- Runs up to 18 continuous hrs.
- Waterproof
- Features a wrist lanyard connection and pocket clip
- **Length:** 6.3" **Weight:** 3.6 oz. **Colors:** Yellow or Black







Rubber Helmet Strap

67101	with alkaline batteries - Blister packaged - Yellow
67100	with alkaline batteries - Blister packaged - Black
 Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Group F&G; Class III, T4 Exia	
 Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Group F&G; Class III, T4 Exia	
 Meets applicable European Community Directives	


**3N PROPOLYMER®**

- Powered by 3 “N” alkaline batteries
- 3 ultra-bright white, 100,000-hour life LEDs provide up to 30 lumens typical, blue LEDs also available
- Impact-resistant polymer
- Up to 120 hrs. continuous run time
- Momentary blink or constant-on tail switch
- **Length:** 5.25" **Weight:** 2.1 oz. **Color:** Yellow or Black

62202	with White LEDs and alkaline batteries - Blister packaged - Yellow
62302	with White LEDs and alkaline batteries - Blister packaged - Black
62212	with Blue LEDs and alkaline batteries - Blister packaged - Yellow
 Intrinsic Safety for Haz. Loc. Class I, II, Div. 1, Groups A,B,C,D,E,F,G; Class III, T4A	
 Intrinsic Safety for Haz. Loc. Exia Class I, II, Div. 1, Groups A,B,C,D,E,F,G; Class III, T4A Exia	
 II 1G EEx ia IIC T4 DEMKO 04 ATEX 0406954	
 Meets applicable European Community Directives	

NON-RECHARGEABLE

# PROPOLYMER SERIES



**4AA PROPOLYMER® LUX** 1 watt, 10,000 hour, super high-flux LED provides a longer reaching, brighter beam that's 10 times brighter than a high-intensity LED. Ergonomically shaped for maximum hand comfort.



### 4AA PROPOLYMER® LUX

- Powered by 4 "AA" alkaline batteries
  - Up to 3,500 candela (Peak Beam Intensity) (42 lumens typical)
  - Div. 1 / Div. 2 - Runs up to 4 hrs. at full intensity with 2 additional hrs. of declining usable light
  - Waterproof
  - Features a wrist lanyard connection
  - **Length:** 7" **Weight:** 7.52 oz.
- Colors:** Yellow, Black or ATEX approved International Safety Orange

#### 4AA Lux Division 1



Class I & II, Div. 1, Groups C, D, F & G;  
Class I, Div. 2, Groups A, B, C, D;  
Class III, T4



Class I & II, Div. 1, Groups C, D, F & G;  
Class III, T4 Exia  
Non-incendive:  
Class I & II, Div. 2, Groups A, B, C, D



Permissible for use in Gassy Mines,  
Methane/air only.  
Appr. No. 20-A060002-0



II 2GD EEx ib IIB T4  
SNCH 04 ATEX 3639



Meets applicable European  
Community Directives

#### 4AA Lux Division 2



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3C (142 C)



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3C (142 C)



Meets applicable European  
Community Directives

68244	Div. 2 with White LED and alkaline batteries - Blister packaged - Yellow
68344	Div. 2 with White LED and alkaline batteries - Blister packaged - Black
68602	Div. 1 with White LED and alkaline batteries - Blister packaged - Yellow
68702	Div. 1 with White LED and alkaline batteries - Blister packaged - Black
68035	Helmet Lighting Kit - Div. 2 4AA Lux with White LED, alkaline batteries, helmet clamp, helmet band - Blister packaged - Yellow



### 4AA PROPOLYMER® XENON

Tough, waterproof, super-bright alkaline battery-powered flashlight with one high-intensity xenon bulb that provides 11,000 Peak Beam Intensity.

#### 4AA PROPOLYMER® XENON

- Powered by 4 "AA" alkaline batteries
- Features a 4.8 volt xenon gas-filled module
- Up to 11,000 Peak Beam Intensity with xenon module (34 lumens typical)
- Runs up to 4 continuous hrs.
- Waterproof
- Features a wrist lanyard connection
- **Length:** 6.5" **Weight:** 6.3 oz. **Color:** Yellow or ATEX approved International Safety Orange

68254	with alkaline batteries - Blister packaged - Yellow
68251	with alkaline batteries - in box - Yellow
68250	without alkaline batteries - in box - Yellow

**UL LISTED**  
 Class I, Div. 1, Groups C, D;  
 Class I, Div. 2, Groups A, B, C, D;  
 Class II, Div. 2, Groups F&G;  
 Class III, T3C

**cUL LISTED**  
 Class I, Div. 2, Groups A, B, C, D;  
 Class II, Div. 2, Groups F&G;  
 Class III, T3C

**MSHA**  
 Permissible for use in Gassy Mines,  
 Methane/air only.  
 Appr. No. 10C-658-0

**Ex**  
 SNCH 04 ATEX 3639  
 II 2G EEx ib e IIB T4  
 II 2D T74°C

**CE**  
 Meets applicable European  
 Community Directives



### 4AA PROPOLYMER® LED

Impact and shock resistant LED flashlight that provides 155 hours of run time.

#### 4AA PROPOLYMER® LED

- Powered by 4 "AA" alkaline batteries
- 7 ultra-bright 100,000-hour life LEDs
- 67 lumens typical with 7 white LEDs, blue LEDs also available
- Runs up to 155 hrs.
- Waterproof
- Features a wrist lanyard connection
- **Length:** 6.5" **Weight:** 6.3 oz.  
**Colors:** Yellow, Black or ATEX approved International Safety Orange

68202	with White LEDs and alkaline batteries - Blister packaged - Yellow
68302	with White LEDs and alkaline batteries - Blister packaged - Black
68212	with Blue LEDs and alkaline batteries - Blister packaged - Yellow
68201	with White LEDs and alkaline batteries - in box - Yellow
68301	with White LEDs and alkaline batteries - in box - Black
68200	with White LEDs without alkaline batteries - in box - Yellow
68300	with White LEDs without alkaline batteries - in box - Black

**UL LISTED**  
 Class I, Div. 1, Groups C, D;  
 Class I, Div. 2, Groups A, B, C, D;  
 Class II, Div. 2, Groups F&G;  
 Class III, T3C

**cUL LISTED**  
 Class I, Div. 2, Groups A, B, C, D;  
 Class II, Div. 2, Groups F&G;  
 Class III, T3C

**MSHA**  
 Permissible for use in Gassy Mines,  
 Methane/air only.  
 Appr. No. 10C-658-0

**Ex**  
 SNCH 04 ATEX 3639  
 II 2G EEx ib e IIB T4  
 II 2D T74°C

**CE**  
 Meets applicable European  
 Community Directives



Helmet Clamps



Gallet Helmet Mount



Helmet Lighting Kit - 4AA Lux,  
 alkaline batteries,  
 helmet clamp, helmet band.



Safety Wands

NON-RECHARGEABLE

## PROPOLYMER SERIES



### 3C PROPOLYMER® XENON

A powerful and incredibly handy flashlight that features a momentary blink or constant on tailcap switch.



### 3C PROPOLYMER® LED






Impact and shock resistant LED flashlight that provides 336 hours of run time.








### 3C PROPOLYMER® LUX

High-performance, 10,000 hour, super high-flux LED provides a longer reaching, brighter beam that's 10 times brighter than a high-intensity LED. Durable, impact resistant and non-conductive.









**3C PROPOLYMER® XENON**

<ul style="list-style-type: none"> <li>Powered by 3 "C" alkaline batteries</li> <li>3.7 volt, 785 mA xenon gas-filled module</li> <li>Up to 16,000 candela (Peak Beam Intensity) (50 lumens typical)</li> <li>Runs up to 5.5 continuous hrs.</li> <li>Waterproof</li> <li>Features a wrist lanyard connection and a spring-loaded clip</li> <li><b>Length:</b> 8.55" <b>Weight:</b> 13.5 oz.</li> <li><b>Colors:</b> Yellow or ATEX approved International Safety Orange</li> </ul>	33254	3C without alkaline batteries - Blister packaged - Yellow
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Class I, Div. 1, Group C&amp;D; Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&amp;G; Class III, T3A</p> </div> <div style="text-align: center;">  <p>Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&amp;G; Class III, T3A</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  <p>Permissible for use in Gassy Mines, Methane/air only. Appr. No. 10C-658-0</p> </div> <div style="text-align: center;">  <p>SNCH 04 ATEX 3640X II 2G EEx ib e IIB T4 II 2D T70°C</p> </div> </div> <div style="text-align: center; margin-top: 10px;">  <p>Meets applicable European Community Directives</p> </div>	

**3C PROPOLYMER® LED**

<ul style="list-style-type: none"> <li>Powered by 3 "C" alkaline batteries</li> <li>10 ultra-bright 100,000-hour life LEDs</li> <li>85 lumens typical with 10 white LEDs, blue LEDs also available</li> <li>Runs up to 336 hrs.</li> <li>Waterproof</li> <li>Features a wrist lanyard connection and a spring-loaded clip</li> <li><b>Length:</b> 8.55" <b>Weight:</b> 13.5 oz.</li> <li><b>Color:</b> Yellow, Black or ATEX approved International Safety Orange</li> </ul>	33202	with White LEDs without alkaline batteries - Blister packaged - Yellow
	33302	with White LEDs without alkaline batteries - Blister packaged - Black
	33212	with Blue LEDs without alkaline batteries - Blister packaged - Yellow
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Class I, Div. 1, Group D; Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&amp;G; Class III, T3C</p> </div> <div style="text-align: center;">  <p>Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&amp;G; Class III, T3C</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  <p>Permissible for use in Gassy Mines, Methane/air only. Appr. No. 10C-658-0</p> </div> <div style="text-align: center;">  <p>SNCH 04 ATEX 3640X II 2G EEx ib e IIB T4 II 2D T70°C</p> </div> </div> <div style="text-align: center; margin-top: 10px;">  <p>Meets applicable European Community Directives</p> </div>	

**3C PROPOLYMER® LUX**

<ul style="list-style-type: none"> <li>Powered by 3 "C" alkaline batteries</li> <li>Up to 3,500 candela (Peak Beam Intensity) (44 lumens typical)</li> <li>Waterproof</li> <li>Div. 1 - Runs 4 hours continuous at full intensity. Up to 15 hours to 50% output intensity. Up to 24 hours to 25% output intensity.</li> <li>Div. 2 - Runs 5.5 hours continuous at full intensity. 2 additional hours of declining output.</li> <li>Rubber booted, tail-end push button switch</li> <li>Features a wrist lanyard connection and a spring-loaded clip</li> <li><b>Length:</b> 9.30" <b>Weight:</b> 14.6 oz. <b>Colors:</b> Yellow or Black</li> </ul>	33244	with White LED without alkaline batteries - Blister packaged - Yellow
	33344	with White LED without alkaline batteries - Blister packaged - Black
	33602	Div. 1 with White LED without alkaline batteries - Blister packaged - Yellow
	33702	Div. 1 with White LED without alkaline batteries - Blister packaged - Black
	<div style="display: flex;"> <div style="flex: 1;"> <p><b>3C Lux Division 1</b></p>  <p>Class I &amp; II, Div. 1, Groups C, D, F&amp;G; Class I, Div. 2, Groups A, B, C, D; Class III, T4</p>  <p>Class I &amp; II, Div. 1, Groups C, D, F, G; Class III, T4 Exia Non-incendive: Class I, Div. 2, Groups A, B, C, D</p>  <p>Permissible for use in Gassy Mines, Methane/air only. Appr. No. 20-AO60001-0</p>  <p>II 2GD EEx ib IIB T4 IP65 T63°C SNCH04 ATEX 3640X</p>  <p>Meets applicable European Community Directives</p> </div> <div style="flex: 1;"> <p><b>3C Lux Division 2</b></p>  <p>Class I &amp; II, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&amp;G; Class III, T5</p>  <p>Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F&amp;G; Class III, T5</p>  <p>Meets applicable European Community Directives</p> </div> </div>	

A high-contrast, low-key photograph of three tactical operators in a dark environment. They are wearing black helmets and gear. The operator on the left is holding a flashlight that illuminates the scene. The operator in the center is also holding a flashlight. The operator on the right is holding a rifle. The overall mood is serious and focused.

**TACTICAL**  
**SERIES**

TYPE

NON-RECHARGEABLE



TACTICAL SERIES

Super Tac™

NightFighter® // NightFighter® LED

Scorpion® // Scorpion® LED

TL-2® // TL-2® LED

TL-3®

Thunder Ranch® Illumination System

Thunder Ranch® Urban Rifle  
Illumination System

TLR-1®

TLR-2®

Sidewinder®




NON-RECHARGEABLE

# TACTICAL HAND-HELD SERIES

Streamlight's Tactical Series personal lights are the most sophisticated and reliable tactical lights available. They're designed to give users a clear advantage when confrontations occur in areas of poor light or limited visibility. They are compact and lightweight, yet powerful and precise with the versatility you need to face any situation. They're all powered by extremely long-lasting lithium batteries, so they're ready whenever you need them.



### LUMENS



Tail cap push-button click switch for one-handed momentary or constant "on." Tail cap rotates for "SAFE" position.

NEW PRODUCT

**SUPER TAC™** New C4™ technology leaves other LEDs in the dark.



Next generation C4™ Power LED technology, impervious to shock with a 50,000 hour lifetime.



This new tactical light features a deep parabolic reflector and C4 Power LED, making it one of the brightest lights you'll ever use.

### SUPER TAC™

- Two 3 Volt CR123A Batteries (included)
- C4 Power LED is 3X brighter than a Super high-flux LED
- Up to 30,000 candela (Peak Beam Intensity); 135 lumens
- Up to 3.5 hours of runtime to the 10% output level
- Machined Aluminum
- Holster Included (Boxed model only)
- **Length:** 6.62" **Weight:** 7.1 oz. **Color:** Black

88700	with holster and lithium batteries. Box.
88701	with lithium batteries. Blister packaged.
88703	IR with holster and lithium batteries. Box.



Meets applicable European Community Directives



\*Fits TangoDown Rail Covers (includes two screws, tie wrap, double stick tape and retaining clips)

## NIGHTFIGHTER®

The NightFighter® tactical lights are the lightest flashlights in their class. The unique adjustable ring makes a perfect fit for any hand.



NIGHTFIGHTER

NIGHTFIGHTER LED

UPDATED PRODUCT

The fully adjustable ring – unique to the NightFighter – adjusts to any hand size, providing a sure grip for one-handed operation.



### NIGHTFIGHTER®

#### NIGHTFIGHTER®

- Two 3 volt CR123A lithium batteries with a storage life of up to 10 years
- TactCap™ switch for quick, easy momentary operation
- Momentary push button tailcap, which rotates for locked “on”
- Polymer grip ring adjusts to any hand size
- Removable spring steel pocket clip and adjustable wrist lanyard
- Available in black
- High-intensity xenon gas-filled bi-pin bulb delivers up to 7,900 candela (Peak Beam Intensity); 78 lumens
- Adjustable spot-to-flood focus
- Up to 80 minutes of runtime
- Spare bulb contained within flashlight
- **Head 1.25" Body .9" x 4.8" Ring 1.38" Weight 4.5 oz. w/batteries**

#### NIGHTFIGHTER® LED

- Two 3 volt CR123A lithium batteries with a storage life of up to 10 years
- Anti-roll head
- C4 Power LED is 3X brighter than a Super high-flux LED
- Up to 7,500 candela (Peak Beam Intensity); 120 lumens
- Up to 3.5 hours of runtime
- Solid state power regulation provides maximum light output for the entire battery life
- **Head 1.25" Body .9" x 5.4" Ring 1.38" Weight 5.2 oz. w/batteries**

88002	with lithium batteries. Clam packaged. Black
88005	LED with lithium batteries. Clam packaged. Black
88007	Click Switch with lithium batteries. Clam packaged. Black



Lithium Batteries



Colored Lenses

**SCORPION®** One of the brightest and lightest personal flashlights ever created, the Scorpion® is the only tactical light with a rubberized grip and tailcap switch. Available with a xenon bulb or a C4 Power LED.



SCORPION

SCORPION LED

UPDATED PRODUCT



### SCORPION®

#### SCORPION®

- Two 3 volt CR123A lithium batteries with a storage life of up to 10 years (included)
- 6 volt xenon gas bulb, designed to last through 5 sets of batteries (spare bulb included)
- Up to 7,900 candela (Peak Beam Intensity); 78 lumens
- Adjustable spot-to-flood focus
- Up to 80 minutes of runtime
- O-ring sealed for moisture protection
- Machined aluminum covered by a rubber-armored sleeve for a sure grip
- **Length: 4.9" Weight: 4.7 oz. with batteries Color: Black**

#### SCORPION® LED

- Two 3 volt CR123A lithium batteries with a storage life of up to 10 years (included)
- Anti-roll head
- C4 Power LED is 3X brighter than a Super high-flux LED
- Up to 7,500 candela (Peak Beam Intensity); 120 lumens
- Up to 3.5 hours of runtime
- O-ring sealed for moisture protection
- Machined aluminum covered by a rubber-armored sleeve for a sure grip
- **Length: 5.72" Weight: 5.3 oz. with batteries Color: Black**



Lithium Batteries



Nylon Holsters





Colored Lenses

85001	with lithium batteries. Clam packaged.
85004	with belt clip attachment. Includes batteries. Mailing Carton.
85010	LED with lithium batteries. Clam packaged.

NON-RECHARGEABLE

# TACTICAL HAND-HELD SERIES



Tail cap push-button click switch for one-handed momentary or constant "on." Tail cap rotates for "SAFE" position.

UPDATED PRODUCT



TL-2



TL-2 LED

**TL-2**° The brightness of a larger light in a compact size that can be comfortably used with a firearm. Shock-proof bulb accessory available.



Tail cap push-button click switch for one-handed momentary or constant "on." Tail cap rotates for "SAFE" position.

**TL-3**° Our tactical light featuring the greatest lumen output. Shock-proof bulb accessory available.

**TL-2<sup>®</sup>**

**TL-2<sup>®</sup>**

- Two 3 volt CR123A lithium batteries with a storage life of 10 years
- 6 volt high-pressure xenon gas-filled bi-pin bulb
- Up to 7,900 candela (Peak Beam Intensity); 78 lumens
- Adjustable focus
- Tailcap click switch
- Spare bulb included
- Up to 80 minutes of runtime
- Pocket clip, adjustable lanyard
- Shock-proof bulb accessory available. Designed to withstand even the punishing recoil of a 3" 12 gauge magnum slug.
- **Head: 1.25" Body: .9" Length: 4.9" Weight: 4.2 oz. Color: Black**

**TL-2<sup>®</sup> LED**

- Two 3 volt CR123A lithium batteries with a storage life of 10 years
- C4 Power LED is 3X brighter than a Super high-flux LED
- Up to 7,500 candela (Peak Beam Intensity); 120 lumens
- Anti-roll head
- Tailcap click switch
- Up to 3.5 hours of runtime
- Pocket clip, adjustable lanyard
- **Head: 1.25" Body: .9" Length: 5.25" Weight: 4.7 oz. Color: Black**

88102	with lithium batteries. Clam packaged. Black
88105	LED with lithium batteries. Clam packaged. Black
88122	IR with lithium batteries. Clam packaged. Black



**TL-3<sup>®</sup>**

- Three 3 volt CR123A lithium batteries with a storage life of 10 years
- 9 volt, high-pressure xenon gas-filled bi-pin bulb
- Up to 11,500 candela (Peak Beam Intensity); 211 lumens
- Adjustable focus
- Tailcap click switch
- Spare bulb included

- 1 hr. continuous run time
- Pocket clip, adjustable lanyard
- Shock-proof bulb accessory available. Designed to withstand even the punishing recoil of a 3" 12 gauge magnum slug.
- **Head: 1.6" Body: .9" Length: 6.25" Weight: 7 oz. Color: Black**

88103	with lithium batteries. Clam packaged. Black
-------	--



NON-RECHARGEABLE

# THUNDER RANCH SYSTEMS

**THUNDER RANCH® ILLUMINATION SYSTEM** A tactical lighting system that will enable you to navigate in low light, developed in conjunction with Clint Smith and the staff at Thunder Ranch, America's leading firearms training facility.



## THUNDER RANCH® ILLUMINATION SYSTEM

- TL-2® LED Tactical Light with lithium batteries
- Key-Mate® White LED light for backup/emergency light
- Innovative "Tiger Ring™" deployment/shooting grip retention system
- Green filter and flip-up lens cover
- DVD featuring Clint Smith, Director of Training at Thunder Ranch

88107 TL-2® LED, Key-Mate, Green Flip Filter & DVD. Black.



**THUNDER RANCH® URBAN RIFLE ILLUMINATION SYSTEM** An incredible value, with everything you'd expect from Streamlight and Thunder Ranch. This exceptional performer is on par with systems costing twice as much. Shock-Proof bulb is designed to withstand even the punishing recoil of a 3" 12 gauge magnum slug.

## THUNDER RANCH® URBAN RIFLE ILLUMINATION SYSTEM

- TL-3® Shock-Proof Tactical Light with lithium batteries
- Green filter and flip-up lens cover
- Long Gun Rail Mount fits on a Picatinny Rail or standard handguard with AR15/M16 Adapter
- Pocket clip, adjustable lanyard
- Urban Rifle Low Light DVD featuring Clint Smith, Director of Training at Thunder Ranch

88108 TL-3® Shock-Proof, Green Flip Filter, Rail Mount & DVD.

# TACTICAL GUN-MOUNT SERIES

These powerful, intensely bright, long-running, aluminum-bodied gun mount lights set a whole new standard for durability. They're shockproof, dustproof, and virtually indestructible. The 3-watt super high-flux LED won't break or burn out. The rail grip clamp system securely attaches/detaches quickly & easily with no tools and without putting your hands in front of the muzzle. The TLR Tactical Lights give you every advantage in any low-light situation.



## TLR-1®

- Powered by two 3-volt CR123A lithium batteries with 10-year storage life
- Shockproof 3-watt super high-flux LED with blinding beam (up to 80 lumens) with bright side-light – will not break or burn out!
- Up to 2.5 hr. runtime
- Rail grip clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle
- Machined aluminum sealed construction with black anodized finish
- Waterproof to one meter for one hour, dustproof
- Ambidextrous momentary/steady on-off switch
- Fast, adjustable, secure side mounting. Includes Rail Locating Keys for Glock style, 1913 Picatinny, S&W 99/TSW, and Beretta 90two
- MIL-SPEC 810F performance tested
- **Weight:** 4.18 oz.

69110	Includes Rail Locating Keys for Glock style, 1913 Picatinny, S&W 99/TSW, and Beretta 90two. Lithium batteries. Boxed.
69150	IR Includes Rail Locating Keys for Glock style, 1913 Picatinny, S&W 99/TSW, and Beretta 90two. Lithium batteries. Boxed.

**TLR-1®** Intensely bright, virtually indestructible tactical light, attaches/detaches in seconds.



Streamlight's Weapon Mounted Lighting products are available to law enforcement and Federal Firearm licensed distributors and dealers only.

## TLR-2®

- Powered by two 3-volt CR123A lithium batteries with 10-year storage life
- Shockproof 3-watt super high-flux LED with blinding beam (up to 80 lumens) with bright side-light – will not break or burn out!
- Up to 2.5 hr. runtime (laser-only mode runs 45+ hrs.)
- Rail grip clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle
- Machined aluminum sealed construction with black anodized finish
- Dustproof
- Ambidextrous momentary/steady on-off switch
- Highly accurate sight repeatability when remounting
- Fast, adjustable, secure side mounting. Includes Rail Locating Keys for Glock style, 1913 Picatinny, S&W 99/TSW, and Beretta 90two
- MIL-SPEC 810F performance tested
- **Weight:** 4.72 oz.

69120	w/ Laser Sight Includes Rail Locating Keys for Glock style, 1913 Picatinny, S&W 99/TSW, and Beretta 90two. Lithium batteries. Boxed.
69160	IR w/ Laser Sight Includes Rail Locating Keys for Glock style, 1913 Picatinny, S&W 99/TSW, and Beretta 90two. Lithium batteries. Boxed.

**TLR-2®** The same great features of the TLR-1 with an integrated laser sight for accurate aiming.



Streamlight's Weapon Mounted Lighting products are available to law enforcement and Federal Firearm licensed distributors and dealers only.

Mounts or Adapters for: 12 gauge Shotguns with extended magazine tubes, Remington 870, AR15/M16, MP-5, HK USP (Full Size & Compact) Handgun



HK USP

Remington 870

12 ga. Mag Tube

MP-5

AR15/M16

TLR Rail Locating Key Kit

TLR Remotes

Vertical Grip with Rail

Low Profile Mount

Colored & Infrared Lenses

**NON-RECHARGEABLE**

# TACTICAL HAND-HELD SERIES

The compact, go-anywhere, hands free, Sidewinder flashlight was developed for the US military, and it's like 20 lights in one. It will light your way in and out of the field, help you track game, and let you signal for help if the need arises. You can control any of the functions with one easy-to-use switch—specially designed for use in total darkness.



**SIDEWINDER®** The most versatile military light in the world. Twenty flashlights in one! Each LED features 4 levels of output intensities: Low (5%), Medium (20%), Medium-High (50%), High (100%) plus a Strobe function (100%).



Green LED Model



IR LED Model

## Sidewinder® Light Output and 2 AA Alkaline Battery Run Time

	Light Output	Low 5% Intensity	Medium 20% Intensity	Medium-High 50% Intensity	High 100% Intensity	Strobe 100% Intensity
1/2 Watt White	20 Lumens	100 Hrs+	36 Hrs	14 Hrs + 1 Hr Low**	7 Hrs + 3 Hrs Low**	14 Hrs + 6 Hrs Low**
Red	630nm	100 Hrs+	70 Hrs	40 Hrs	14 Hrs + 1 Hr Low**	28 Hrs + 2 Hrs Low**
Blue	470nm	100 Hrs+	60 Hrs	36 Hrs	12 Hrs + 1 Hr Low**	24 Hrs + 2 Hrs Low**
Green/ IR	520nm/ 880nm	100 Hrs+	60 Hrs	36 Hrs	10 Hrs + 1 Hr Low**	24 Hrs + 2 Hrs Low**

\*\*Intensity automatically shifts to low output at end of rated battery capacity to utilize maximum battery life.

### SIDEWINDER®



- Pull and rotate locking color selector knob to attain desired color
- Double click button to initiate strobe function from "Off" position
- Push and hold button for light output levels from "Off" position
- Powered by 2 "AA" batteries. Full run time chart above.
- Also accepts 2 "AA" lithium batteries, which allow extended operation, or extreme temperatures (-40°F - 150°F)
- Mounts to MOLLE or ACH for hands-free use
- O-ring sealed for waterproof operation. Meets MIL-STD-810F, Method 512.4
- US and foreign patents pending
- IR model available
- **Height:** 4.63" x **Width:** 2.31" **Weight:** 4.96 oz. **Colors:** Coyote and Green

14000	with alkaline batteries. IR LED. Blister Packaged. Coyote.
14001	with alkaline batteries. IR LED. Blister Packaged. Green.
14002	with alkaline batteries. Green LED. Blister Packaged. Coyote.
14003	with alkaline batteries. Green LED. Blister Packaged. Green.
14004	HP IR LED BB. Blister Packaged. Coyote.
14005	HP IR LED BB. Blister Packaged. Green.
14006	HP IR LED. Blister Packaged. Coyote.
14007	HP IR LED. Blister Packaged. Green.
14008	HP Green LED. Blister Packaged. Coyote.
14009	HP Green LED. Blister Packaged. Green.



Helmet Mounts

*Press and hold button to cycle through intensity levels from 5% to 100%.*



*185° articulating head allows you to aim the light in any direction.*



*Pull out and rotate knob to choose between each LED color: White, Red, Green or IR/IFF (depending on model) and Blue.*





***CAMO***  
***SERIES***

TYPE	RECHARGEABLE	
	NON-RECHARGEABLE	



## CAMO SERIES

Buckmasters® Twin-Task® 2L  
 Buckmasters® Camo Trident® Headlamp  
 Twin-Task® Rechargeable  
 Clipmate®  
 Key-Mate®



NON-RECHARGEABLE / RECHARGEABLE

# CAMO SERIES

Streamlight developed these special lights for use in the great outdoors in conjunction with Buckmasters, one of the premiere hunting enthusiast organizations in the USA. They have the features you need to help keep you safe and both Buckmasters lights are available in REALTREE Hardwoods® Green High Definition (HD) camouflage pattern.

## BUCKMASTERS® TWIN-TASK® 2L

Lightweight, versatile light switches from powerful xenon bulb to 3 ultra-bright safety-green LEDs. The dependable lithium batteries have a 10-year shelf-life; and the water & corrosion-resistant casing is almost indestructible.



### BUCKMASTERS® TWIN-TASK® 2L

- 4.8 volt, 0.9A high pressure, adjustable focus xenon bulb provides 72 lumens
- 3 ultra-bright, 100,000-hour-life green LEDs deliver 10 lumens
- Anodized machined aluminum alloy is corrosion and water-resistant
- Powered by two 3 volt CR123A lithium batteries with 10-year shelf-life
- Runs up to 2.5 hrs. on xenon mode; up to 28 hrs. on LED mode
- Micro-faceted reflector for smooth focus
- O-ring sealed, heavy-duty drop-tested construction
- Night vision green LEDs won't spook game
- Includes high-strength lanyard
- **Length:** 5.43" **Weight:** 5.44 oz. **Colors:** RealTree® Hardwoods® Green High Definition (HD) camouflage pattern with leathertop wear-resistant coating

51025 with lithium batteries. Blister packaged. Camo.



Meets applicable European Community Directives

## BUCKMASTERS® CAMO TRIDENT® Hands-free lighting with 90° tilting head. Features super-bright xenon bulb and three safety-green LEDs within the same reflector. Three-position lighting includes xenon bulb, 1 LED, 3 LEDs.



### BUCKMASTERS® CAMO TRIDENT®

- 3 volt, 300 mA xenon bi-pin bulb delivers 12 lumens
- 3 night vision, safety-green, 100,000-hour-life LEDs, won't spook game
- Water-resistant, lightweight thermoplastic construction
- Powered by three "AAA" alkaline batteries (included)
- Xenon Bulb: 12 lumens measured system output. One (1) Safety Green LED: 4 lumens measured system output. Three (3) Safety Green LEDs: 11 lumens measured system output.
- Includes elastic head strap and rubber hard hat strap
- Runs up to 150 hrs. (single LED)
- 1.86" face cap diameter; 2.55" width; 2.53" depth
- **Weight:** 4.64 oz. **Colors:** RealTree® Hardwoods® Green High Definition (HD)

61070 (3) Green LEDs & alkaline batteries. Camo.



Meets applicable European Community Directives



Includes a rubber head-strap that ensures a non-slip grip for hardhats.

**TWIN-TASK® RECHARGEABLE**

This versatile light, with a high-intensity xenon bulb plus three green night vision LEDs and three blue tracker LEDs, can shine for up to 16 hours.



3-MODES:



3 LEDs  
Run Time  
16 hours



3 LEDs  
Run Time  
16 hours



XENON  
Run Time  
50 min.

**TWIN-TASK® RECHARGEABLE**

- 3.6 volt high-pressure xenon bulb; plus 3 green and 3 blue 100,000-hr life LEDs
- 95 lumens typical with xenon bulb; 22 lumens typical with 3 LEDs
- Up to 50 min. run time (xenon); up to 16 hrs. (3 LEDs)
- 3 "4/5 sub-C" size nickel-cadmium battery
- O-Ring sealed, water resistant
- **Length:** 7.14" **Diameter:** 1.6" **Weight:** .66 lb. **Colors:** RealTree® Hardwoods High Definition® (HD) Green

51044

3 Blue and 3 Green LEDs. Blister packaged. Camo.



Meets applicable European  
Community Directives



Charger

**CLIPMATE®** This innovative light rotates 360°, is equipped with three high-intensity LEDs and offers tremendous versatility in a little light.

**CLIPMATE®**

- Powered by 3 "AAA" alkaline batteries
- Three high-intensity, 100,000-hr. life LEDs
- 27 lumens typical (white LEDs) or 12 lumens (green LEDs)
- Up to 40 hrs. run time
- Includes elastic strap headband and lanyard
- Bezeled head rotates for on/off
- Unbreakable polycarbonate lens with rubber coating
- **Length:** 3.52" **Weight:** 2.4 oz. **Colors:** Yellow with three white LEDs, Black with a choice of white or green LEDs and RealTree® Hardwoods High Definition® (HD) Green with three green LEDs

61100 with White LEDs and alkaline batteries. Yellow.

61101 with White LEDs and alkaline batteries. Black.

61102 with Green LEDs and alkaline batteries. Black.

61115 with Green LEDs and alkaline batteries. Camo.



Meets applicable European  
Community Directives

**KEY-MATE®** The world's smallest, brightest, one-ounce, machined aluminum, one LED flashlight! The Key-Mate runs longer and stays brighter.

**KEY-MATE®**

- Reflector optics deliver up to 400% more lighting range than traditional penlights
- Easily attaches/detaches to just about anything with convenient pocket clip or key ring
- Up to 96 hrs. run time
- Includes neck lanyard
- O-ring sealed for water-resistance
- Powered by 4 alkaline button cells (included)
- 100,000 hr. lifetime high-intensity LED with reflector optics
- LED available in white (10 lumens) or green (2.6 lumens)
- **Length:** 2.36" **Weight:** .9 oz. **Colors:** Black or Titanium, white or green LEDs, and RealTree® Hardwoods High Definition® (HD) Green with green LED

72001 with White LED with batteries. Blister packaged. Black.

72101 with White LED with batteries. Blister packaged. Titanium.

72003 with Green LED with batteries. Blister packaged. Black.

72203 with Green LED with batteries. Blister packaged. Camo.


72016 Filter Combo - Black Key-Mate w/White LED, Red &amp; Green Filters with lanyard.



Meets applicable European  
Community Directives

Colored &  
Infrared Lenses



A close-up, low-angle photograph of a car engine. The focus is on a coolant reservoir cap in the lower-left foreground. The cap is silver and has the text "KEEP TIGHT" and "DO NOT OPEN HOT" embossed on it. The background shows various engine components, including hoses, a serpentine belt, and a radiator, all illuminated by a bright light source from the right, creating strong highlights and deep shadows.

**STYLUS<sup>®</sup>**  
**SERIES**



TYPE

NON-RECHARGEABLE



## STYLUS SERIES

- Stylus®
- Stylus® UV
- Stylus® IR
- MicroStream®
- Stylus Pro®
- Stylus Reach®
- Stylus Reach® 18



NON-RECHARGEABLE

# STYLUS SERIES

The revolutionary Stylus® combines the convenience of a penlight with the power of a high-intensity LED. These tough, durable, safety rated, water-proof lights are ideal for a variety of tasks, from reading a map on a camping trip and inspecting hard-to-see places, to forensic investigations and tactical law enforcement operations. Available in a variety of LED colors for various applications.



**WHITE LED NOW  
EVEN BRIGHTER!**



Sharp Spot® fits over the tip of the Stylus® for a sharper focused, extended beam. Available in combo pack only.

**STYLUS®** This bright LED penlight has a battery life 20x greater than a standard flashlight and goes anywhere you need it.







**STYLUS® UV** Includes an ultraviolet light for fluorescent detection of fraudulent documents and for use in forensic investigations.



**STYLUS® IR** This bright LED penlight is compatible with most night vision equipment.

**STYLUS®**

- High-intensity LED lasts 100,000 hrs.
- LED available in white (now brighter with 10 lumens), red (1.13 lumens), blue (.71 lumens), green (2.6 lumens), and ultraviolet (365 nm)
- Powered by 3 "AAAA" alkaline batteries
- Runs up to 60 continuous hrs.
- Momentary blink and constant "on" modes
- Serialized for easy identification
- Pocket clip for easy access
- Safety rated model available
- **Length:** 6.21" **Weight:** 1.1 oz. **Color:** Black, Gold, Silver, US flag, Red, Blue, and Camouflage (combo only)

 Class I, Div. 1, Groups A, B, C, D, T3C	 Class I, Div. 1, Groups A, B, C, D, T3C Exia
 II 1G EEx ia IIC T1 DEMKO 04 ATEX 0410949	 Meets applicable European Community Directives


65006	Black - Blister packaged - Red LED
65022	Black - Blister packaged - Blue LED
65020	Black - Blister packaged - Green LED
65018	Black - Blister packaged - White LED
65058	UL Listed Black - Blister packaged - White LED
65024	Gold - Blister packaged - White LED
65016	Silver - Blister packaged - Blue LED
65012	Silver - Blister packaged - White LED
65050	Blue - Blister packaged - White LED
65035	Red - Blister packaged - White LED
65080	US Flag - Blister packaged - White LED
65073	Combo Black - Includes Glare Guard, Holster, Sharp Spot - Blister packaged - White LED
65074	Combo Black - Includes Glare Guard, Holster, Sharp Spot - Blister packaged - Green LED
65072	Combo Camo - Includes Glare Guard, Holster, Sharp Spot - Blister packaged - Green LED



Realtree Hardwoods® Green High Definition (HD) camouflage pattern Stylus® Combo includes Sharp Spot®, Glare Guard and Holster. Available in camo/green LED, black/green LED, black/white LED.

**STYLUS® UV**

- High-intensity LED lasts 100,000 hrs.
- Ultraviolet LED (365 nm)
- Powered by 3 "AAAA" alkaline batteries
- Runs up to 60 continuous hrs.
- Momentary blink and constant "on" modes
- Serialized for easy identification
- Pocket clip for easy access
- **Length:** 6.21" **Weight:** 1.1 oz. **Color:** Black

65069	Black - Blister packaged - UV LED
 Meets applicable European Community Directives	


**STYLUS® IR**

- High-intensity LED lasts 100,000 hrs.
- Powered by 3 "AAAA" alkaline batteries
- Battery life 20x greater than a standard flashlight
- Runs up to 60 continuous hrs.
- Momentary blink and constant "on" modes
- Serialized for easy identification
- Pocket clip for easy access
- Includes Sharp Spot®, Glare Guard and Holster
- **Length:** 6.21" **Weight:** 1.1 oz. **Color:** Black

65089	Stylus® Combo - Olive Drab - Includes Glare Guard, Holster, Sharp Spot - Blister packaged - I/R LED (Compatible with most night vision goggles)
 Meets applicable European Community Directives	

NON-RECHARGEABLE

# STYLUS SERIES



**MICROSTREAM®** Utilizing the latest 0.5 Watt emitter technology and Streamlight's proprietary Micro Optical System (MOS). This ultra compact and lightweight flashlight is optimized for output and run time.



## MICROSTREAM®

- Powered by 1 "AAA" alkaline battery
- .5 watt high-flux LED w/30,000 hour life
- Push button tail switch
- Delivers up to 20 lumens
- Up to 1.5 hours of regulated runtime
- Machined aluminum construction
- Corrosion and water-resistant
- Easily attaches/detaches to just about anything with key ring
- **Length:** 3.5" **Weight:** 1.04 oz. **Color:** Matte Black

66318

Black - Blister packaged - White LED

CE

Meets applicable European  
Community Directives

**STYLUS PRO®** Developed for multiple tasks for professionals and sportsman. The hallmarks of this light are its compact durable construction, optimum beam output and a tailcap switch for single-handed operation.



## STYLUS PRO®

- Powered by 2 "AAA" alkaline batteries
- .5 watt high-flux LED w/30,000 hour life
- Push button tail switch
- Delivers up to 24 lumens typical
- Up to 7.5 hours of regulated runtime
- Machined aluminum construction
- Corrosion and water-resistant
- **Length:** 5.3" **Weight:** 1.64 oz. **Color:** Matte Black

66118

Black - Blister packaged - White LED

CE

Meets applicable European  
Community Directives

# STYLUS REACH SERIES

Now you can illuminate all those hard-to-see, out-of-the-way nooks and crannies. Just twist & turn the tough PVC-coated cable into any position to aim light almost anywhere.



Twist & turn the flexible cable into any position to light the most out-of-the-way places.

**STYLUS REACH®** Includes a 7" flexible cable that enables you to see into even the tightest spots. Available with a white LED or blue LED for leak detection.


A textured grip for non-slip handling makes it easier to maneuver the light in slippery or wet conditions.





### STYLUS REACH®


- Includes flexible 7" extension cable that allows for 14" of "reach"
- High-intensity LED lasts 100,000 hrs.
- Powered by 3 "AAAA" alkaline batteries
- Runs up to 60 continuous hrs.
- LED available in white (10 lumens) or blue (.71 lumens)
- Safety rated model available
- **Length:** 14" extended; 6.75" folded **Weight:** 1.7 oz. **Color:** Black or Silver

65622	Black - Blister packaged - Blue LED
65618	Black - Blister packaged - White LED
65658	UL Listed Black - Blister packaged - White LED
65616	Silver - Blister packaged - Blue LED
65612	Silver - Blister packaged - White LED
65076	Stylus®/Stylus Reach® Combo - Includes Black Stylus & Stylus Reach - White LED


  
 Class I, Div. 1,  
Groups A, B, C, D, T3C

  
 Class I, Div. 1,  
Groups A, B, C, D, T3C Exia

  
 II 1G EEx ia IIB T1  
DEMKO 04 ATEX 0410949

  
 Meets applicable European  
Community Directives


**STYLUS REACH® 18** All the great features of the Stylus Reach® with an additional 11.5" of "reach". Thanks to its flexible cable, nothing is out of sight. Available with a white LED or blue LED for leak detection.



### STYLUS REACH® 18

- Includes flexible 18.75" extension cable that allows for 25.5" of "reach"
- High-intensity LED lasts 100,000 hrs.
- Powered by 3 "AAAA" alkaline batteries
- Runs up to 60 continuous hrs.
- LED available in white (10 lumens) or blue (.71 lumens)
- **Length:** 25.5" extended; 13" folded **Weight:** 3.5 oz. **Color:** Black

65418	Black - 18" Cable - Blister packaged - White LED
65422	Black - 18" Cable - Blister packaged - Blue LED

  
 Meets applicable European  
Community Directives



# HEADLAMP SERIES

TYPE

NON-RECHARGEABLE



## HEADLAMP SERIES

Argo®

Argo® HP


3AA HAZ-LO®

Buckmasters® Camo Trident®

Trident®

Enduro®

Septor®



NON-RECHARGEABLE

# HEADLAMP SERIES

Streamlight offers a variety of ultra-compact headlamps. Designed for comfort and durability, our adjustable, flexible, lightweight straps can be worn on the head or around a hard hat. The high powered professional grade lights offer power, versatility and longevity to accomplish any task.



**3AA HAZ-LO®** We engineered this compact, long running, high-performance, super high-flux LED headlight to meet the stringent requirements of Division 1 hazardous locations while maintaining exceptional light output and a long runtime.

**ARGO®** Featuring state-of-the-art, C4 Power LED technology for the long life and reliability of an LED with the brightness and range of a conventional bulb. It offers three digitally controlled brightness levels, and a durable compact case.



UPDATED PRODUCT



UPDATED PRODUCT

**ARGO® HP** Our brightest headlamp, with a C4 Power LED that's seven times brighter than a regular LED and extra long runtime.



**3AA HAZ-LO®**

- Class I, Div. 1
- Powered by 3 "AA" alkaline batteries (included)
- 1 watt super high-flux LED
- 34 lumens typical
- Impact resistant housing
- Includes elastic head strap and rubber hard hat strap
- Up to 11 hours of runtime, declining output to 25% intensity
- **Weight:** 4.5 oz. **Color:** Yellow

61200

alkaline batteries. Rubber &amp; Elastic Straps. Yellow.



CLASSIFIED  
UL US  
SUA4  
Class I, Div. 1, Groups A, B, C, D, T4;  
Class II, Div. 1, Groups E, F, G,  
Class III, T4 Exia



Permissible for use in Gassy Mines,  
Methane/air only.  
Appr. No. 20-A070001-01



II 1G EEx ia IIC 115C (T4)  
DEMKO 07 ATEX 0613960



Meets applicable European  
Community Directives



Includes a rubber head-strap that ensures a non-slip grip for hardhats.

**ARGO®**

- Powered by 3 "AAA" alkaline batteries; LED battery life indicator
- C4 Power LED technology, impervious to shock with a 50,000 hour lifetime
- Three (3) digitally controlled brightness levels:
- High: Up to 1,300 candela (Peak Beam Intensity) and 56 lumens measured system output. Medium: Up to 575 candela (Peak Beam Intensity) and 25 lumens measured system output. Low: Up to 250 candela (Peak Beam Intensity) and 11 lumens measured system output.
- Runtime: High: 7 hours continuous runtime  
Medium: 12 hours continuous runtime  
Low: 20 hours continuous runtime
- 90° tilting head
- Includes elastic head strap and rubber hard hat strap
- **Height:** 2.15" **Width:** 2.9" **Diameter:** 2.25" **Weight:** 4.75 oz. **Color:** Yellow

61301

with alkaline batteries. Rubber &amp; Elastic Straps. Yellow.



Meets applicable European  
Community Directives



Includes a rubber head-strap that  
ensures a non-slip grip for hardhats.

**ARGO® HP**

- Powered by two 3 volt disposable lithium batteries
- C4 Power LED technology, impervious to shock with a 50,000 hour lifetime
- High mode: Up to 1,800 candela (Peak Beam Intensity) and 62 lumens measured system output. Low Mode: Up to 400 candela (Peak Central Intensity) and 16 lumens measured system output.
- Runtime: High: 6.5 hours continuous runtime  
Medium: 12 hours continuous runtime  
Low: 20 hours continuous runtime
- Ultra-compact, impact-resistant housing, lightweight for maximum comfort
- Includes elastic head strap and rubber hard hat strap
- 90° tilting head
- Facecap diameter: 1.6" x Max headlight width: 3.0"
- Max headlight depth: 2.0" including head strap and mounting plate
- **Weight:** 4.0 oz. **Color:** Black

61302

with lithium batteries. Rubber &amp; Elastic Straps. Black.



Meets applicable European  
Community Directives



Includes a rubber head-strap that  
ensures a non-slip grip for hardhats.

NON-RECHARGEABLE

# HEADLAMP SERIES



**BUCKMASTERS® CAMO TRIDENT®** Hands-free lighting with 90° tilting head. Features super-bright xenon bulb and three safety-green LEDs within the same reflector. Three-position lighting includes xenon bulb, 1 LED, 3 LEDs.

**TRIDENT®** Includes three LEDs and a xenon bulb in the same reflector. Three-position lighting lets you select the best combination of lights for the task at hand.

### THREE TRIDENT MODELS:

**Yellow Model** – Contains 3 ultra-bright white LEDs

**Green Model** – Contains 1 safety green LED and 2 ultra-bright white LEDs

**Camo Model** – Realtree Hardwoods® Green High Definition camouflage pattern; contains super-bright xenon bulb and three safety-green LEDs within the same reflector.



**ENDURO®** One of the lightest, brightest, most comfortable headlamps available today. Features High and Low lighting modes and a runtime up to 24 hours.



**SEPTOR®** This ultra-bright LED headlamp lets you choose 1, 3 or 7 LEDs.

**BUCKMASTERS® CAMO TRIDENT®**

- 3 volt, 300 mA xenon bi-pin bulb delivers 12 lumens
- 3 night vision, safety-green, 100,000-hour-life LEDs, won't spook game
- Water-resistant, lightweight thermoplastic construction
- Powered by three "AAA" alkaline batteries (included)
- Xenon Bulb: 12 lumens measured system output.  
One (1) Safety Green LED: 4 lumens measured system output.  
Three (3) Safety Green LEDs: 11 lumens measured system output.
- Includes elastic head strap and rubber hard hat strap
- Runs up to 150 hrs. (single LED)

- 1.86" face cap diameter; 2.55" width; 2.53" depth
- **Weight:** 4.64 oz. **Colors:** RealTree® Hardwoods® Green High Definition (HD)

61070

(3) Green LEDs &amp; alkaline batteries. Camo.



CE

Meets applicable European  
Community DirectivesIncludes a rubber head-strap that  
ensures a non-slip grip for hardhats.**TRIDENT®**

- Powered by 3 "AAA" alkaline batteries (included)
- 3 volt, 300 mA xenon bi-pin bulb, plus three 100,000-hour life LEDs
- Xenon Bulb: 12 lumens measured system output.
- Yellow Model: One (1) White LED: 9 lumens measured system output.  
Three (3) White LEDs: 24 lumens measured system output.
- Green Model: One (1) Safety Green LED: 4 lumens measured system output.  
Two (2) White LEDs: 18 lumens measured system output.
- 3-position lighting: 1) xenon bulb; 2) one LED; 3) three LEDs
- Spot to flood focus
- Includes elastic head strap and rubber hard hat strap
- 90° tilting head
- Runs up to 150 hrs. (single LED)
- Facecap diameter: 1.86"
- **Width:** 2.55" **Depth:** 2.53" **Weight:** 4.64 oz. **Colors:** Yellow, Green or Camo

61051

(2) White and (1) Green LED with alkaline batteries. Rubber &amp; Elastic straps. Green.

61050

with White LEDs, alkaline batteries. Rubber &amp; Elastic straps. Yellow.

61049

with White LEDs, alkaline batteries. UL Listed. Rubber &amp; Elastic straps. Yellow.

Class I, Div. 2, Groups A, B, C, D;  
Class II Div. 2 Groups F, G;  
Class III, T3CClass I, Div. 2, Groups A, B, C, D;  
Class II Div. 2 Groups F, G;  
Class III, T3C

CE

Meets applicable European  
Community DirectivesIncludes a rubber head-strap that  
ensures a non-slip grip for hardhats.**ENDURO®**

- Powered by two 1.5V "AAA" cells (included)
- .5 watt high-flux, 100,000-hour life LED
- Up to 14.5 lumens typical and up to 850 candela (Peak Beam Intensity) (high mode); 6 lumens typical (low mode)
- Solid State Power Regulator provides maximum light output throughout battery life
- Up to 6 hrs, runtime on high; up to 24 hrs, on low mode
- Impact-resistant, drop-tested housing
- Includes elastic/rubber combo strap
- O-Ring sealed construction

- Waterproof to 1 meter for 1 hr.
- Facecap diameter: 1.3"
- **Width:** 2.25" **Diameter:** 1.6" **Weight:** 2.75 oz. **Colors:** Black or Camo

61400

with alkaline batteries. Elastic Strap. Black.

61405

with alkaline batteries. Elastic Strap. Camo.

CE

Meets applicable European  
Community Directives**SEPTOR®**


- Powered by 3 "AAA" alkaline batteries (included)
- Seven 100,000 hr. life ultra-bright, white LEDs
- 50 lumens typical (7 LEDs), 25 lumens typical (3 LEDs), 9 lumens typical (1 LED)
- Runs up to 150 hrs. (single LED)
- Includes elastic head strap and rubber hard hat strap
- 90° tilting head
- Facecap diameter: 1.86"
- **Width:** 2.55" **Depth:** 2.53" **Weight:** 4.72 oz. **Color:** Yellow

61052

with alkaline batteries. Rubber &amp; Elastic straps. Yellow.

CE

Meets applicable European  
Community DirectivesIncludes a rubber head-strap that  
ensures a non-slip grip for hardhats.



**TASK-LIGHT<sup>®</sup>**  
**SERIES**

TYPE

**NON-RECHARGEABLE****TASKLIGHT SERIES**

Twin-Task® 2-Cell Lithium

Twin-Task® 1-Cell Lithium

Twin-Task® 3AA

Twin-Task® 2D

Twin-Task® 3C

Twin-Task® 3C-UV

Twin-Task® 3C Laser

Twin-Task® 3AAA Laser

Task-Light® 1AA

Task-Light® 2AA

Task-Light® 3AA

Task-Light® 3AA LED

**POCKET LIGHTS**

ClipMate®

Key-Mate®

Nano Light®


CuffMate®

**SPECIALTY LIGHTS**

Night Com®

Streamlight Jr.® LED

Streamlight Jr.® Reach LED



NON-RECHARGEABLE

# TWIN-TASK SERIES

These exceptionally durable and powerful lights offer multiple lighting modes from a variety of power sources. There's no task that these lights can't handle! The Twin-Task® lights are the only machined aluminum flashlights with a patented xenon/LED combination for unmatched brightness and exceptionally long run times. Users can easily select the best light source and intensity for the task at hand. Twin-Task® lights feature a micro-faceted reflector for a smooth, perfectly focused beam.



## COMMON FEATURES



- A. Patented xenon/LED combination for brightness and long run time
- B. Computer machined anodized aluminum
- C. Enhanced knurled grip for easy handling
- D. O-ring sealed for water resistance
- E. Unbreakable polycarbonate lens
- F. Wrist lanyard
- G. Available in Matte Black or Titanium



### TWIN-TASK® 2-CELL LITHIUM

With a super-bright xenon bulb and two lithium batteries, it's always ready to light your way!

2-MODES:



3 LEDs  
Run Time  
28 hours



XENON  
Run Time  
2.5 hours



2-MODES:



3 LEDs  
Run Time  
9.5 hours



XENON  
Run Time  
1.5 hours

### TWIN-TASK® 1-CELL LITHIUM

With its lithium battery that has a shelf life of nearly 10 years, you can store it in the glove box and it will be ready whenever you need it!



### TWIN-TASK® 3AA

A lightweight, versatile, go-anywhere light with a high-intensity xenon bulb and three ultra-bright white LEDs.

2-MODES:



3 LEDs  
Run Time  
80 hours



XENON  
Run Time  
2.6 hours

## TWIN-TASK® 2D

An all-purpose, professional-grade flashlight with ten ultra-bright white LEDs and a high-intensity xenon bulb.



3-MODES:



5 LEDs  
Run Time  
80 hours




10 LEDs  
Run Time  
50 hours



XENON  
Run Time  
9.5 hours


### TWIN-TASK® 2D

- Powered by 2 "D" alkaline batteries
- 2.4 volt high-pressure xenon bulb; plus 10 ultra-bright, white 100,000-hr life LEDs
- 22 lumens typical with xenon bulb; 79 lumens with 10 LEDs; 48 lumens with 5 LEDs
- Up to 9.5 hrs. run time (xenon); up to 80 hrs. (5 LEDs); up to 50 hrs. (10 LEDs)
- **Length:** 8.35" **Diameter:** 2.19" **Weight:** 1.39 lbs. **Colors:** Black or Titanium

51001	Blister packaged. Black (batteries not included)
51011	Blister packaged. Titanium (batteries not included)
 Meets applicable European Community Directives	


### TWIN-TASK® 2-CELL LITHIUM

- Powered by two 3 volt CR123A lithium batteries with a shelf life of nearly 10 years
- 4.8 volt high-pressure xenon bulb; plus 3 ultra bright, white, 100,000-hr life LEDs
- 72 lumens typical with xenon bulb; 25 lumens from 3 LEDs
- Up to 2.5 hrs. run time (xenon); up to 28 hrs. (3 LEDs)
- Accessory holster available
- **Length:** 5.43" **Diameter:** 1.33" **Weight:** 5.44 oz. **Colors:** Matte Black or Titanium

51005	with lithium batteries. Blister packaged. Black
51015	with lithium batteries. Blister packaged. Titanium
 Meets applicable European Community Directives	


### TWIN-TASK® 1-CELL LITHIUM

- Powered by one 3 volt CR123A lithium battery with a shelf life of nearly 10 years
- 2.4 volt high-pressure xenon bulb; plus 3 ultra bright, white, 100,000-hr life LEDs
- 29 lumens typical with xenon bulb; 24 lumens from 3 LEDs
- Up to 1.5 hrs. run time (xenon); up to 9.5 hrs. (3 LEDs)
- **Length:** 4.09" **Diameter:** 1.33" **Weight:** 4 oz. **Colors:** Matte Black or Titanium

51004	with lithium battery. Blister packaged. Black
51014	with lithium battery. Blister packaged. Titanium
 Meets applicable European Community Directives	

### TWIN-TASK® 3AA

- Powered by 3 "AA" alkaline batteries
- 3.6 volt high-pressure xenon bulb; plus 3 ultra-bright, white, 100,000-hr life LEDs
- 29 lumens typical with xenon bulb; 30 lumens typical with 3 LEDs
- Up to 2.6 hrs. run time (xenon); up to 80 hrs. (3 LEDs)
- **Length:** 8.54" **Diameter:** 1.33" **Weight:** 6.72 oz. **Colors:** Matte Black or Titanium

51003	with alkaline batteries. Blister packaged. Black
51013	with alkaline batteries. Blister packaged. Titanium
 Meets applicable European Community Directives	

NON-RECHARGEABLE

# TWIN-TASK SERIES



**TWIN-TASK® 3C** This versatile light, with a high-intensity xenon bulb plus six ultra-bright white LEDs, can shine for up to 160 hours.

3-MODES:



3 LEDs  
Run Time  
160 hours



6 LEDs  
Run Time  
100 hours



XENON  
Run Time  
5 hours



**TWIN-TASK® 3C-UV** Includes an ultra-bright xenon bulb plus six ultraviolet LEDs for UV detection of fraudulent documents, forensic investigations and for detecting engine & HVAC leaks.

3-MODES:



3 LEDs  
Run Time  
160 hours



6 LEDs  
Run Time  
100 hours



XENON  
Run Time  
5 hours



**TWIN-TASK® 3C LASER COMBO** This versatile light includes a high-intensity incandescent bulb, plus 5 ultra-bright LEDs, and a long-range laser pointer.

3-MODES:



One high-intensity xenon bulb, five ultra-bright, long-running LEDs and one long-range laser pointer.



LASER



6 LEDs  
Run Time  
100 hours



XENON  
Run Time  
5 hours



**TWIN-TASK® 3AAA LASER COMBO** This versatile light includes a high-intensity incandescent bulb, plus 5 ultra-bright LEDs, and a long-range laser pointer.

3-MODES:



LASER




5 LEDs  
Run Time  
12 hours




XENON  
Run Time  
2.25 hours


**TWIN-TASK® 3C**

<ul style="list-style-type: none"> <li>• Powered by 3 "C" alkaline batteries</li> <li>• 3.6 volt high-pressure xenon bulb; plus 6 ultra-bright, white 100,000-hr life LEDs</li> <li>• 57 lumens typical with xenon bulb; 52 lumens typical with 6 LEDs; 28 lumens typical with 3 LEDs</li> <li>• Up to 5 hrs. run time (xenon); up to 160 hrs. (3 LEDs); up to 100 hrs. (6 LEDs)</li> <li>• Accessory holster available</li> <li>• <b>Length:</b> 9.02" <b>Diameter:</b> 1.68" <b>Weight:</b> 1 lb. <b>Colors:</b> Matte Black or Titanium</li> </ul>	51002	Blister packaged. Black (batteries not included)
	51012	Blister packaged. Titanium (batteries not included)
 Meets applicable European Community Directives		


**TWIN-TASK® 3C-UV**

<ul style="list-style-type: none"> <li>• Powered by 3 "C" alkaline batteries</li> <li>• 3.6 volt high-pressure xenon bulb plus 6 ultraviolet 100,000-hour life LEDs</li> <li>• 57 lumens typical with xenon bulb</li> <li>• 3 Modes; Runs up to 5 hours (Xenon bulb); or up to 160 hours (3 LEDs); or up to 100 hours (6 LEDs)</li> <li>• Accessory holster available</li> <li>• Available in Black (with three 365 and three 390 nanometer UV LEDs – ideal for law enforcement use) or Titanium (with six 390 nanometer UV LEDs – for HVAC &amp; auto leak detection)</li> <li>• <b>Length:</b> 9.02" <b>Diameter:</b> 1.68" <b>Weight:</b> 1 lb. <b>Colors:</b> Matte Black or Titanium</li> </ul>	51010	Blister packaged. (3) 390 nm & (3) 365 nm LEDs. Black (batteries not included)
	51018	Blister packaged. (6) 390 nm LEDs. Titanium (batteries not included)
 Meets applicable European Community Directives		

**TWIN-TASK® 3C LASER COMBO**

<ul style="list-style-type: none"> <li>• Powered by 3 "C" alkaline batteries</li> <li>• 3.6 volt, 0.9A high-pressure Xenon bulb provides up to 57 lumens</li> <li>• Five 100,000-hour life white LEDs deliver up to 21 lumens</li> <li>• Pre-focused, 650 nm wavelength, 5 mW, Class IIIa laser</li> <li>• Useable laser range is 100 yards+ (with laser pointer only); 100 ft. in laser/xenon position</li> <li>• Runs up to 5 hours with xenon bulb; up to 100 hours with LEDs</li> <li>• 3-position lighting – laser only, 5 LEDs, laser/xenon with adjustable focus</li> <li>• Accessory holster available</li> <li>• <b>Length:</b> 9.02" <b>Diameter:</b> 1.68" <b>Weight:</b> 1 lb. <b>Colors:</b> Gun Metal Gray</li> </ul>	51031	Blister packaged. Gun Metal Gray (batteries not included)
	 Meets applicable European Community Directives	

**TWIN-TASK® 3AAA LASER COMBO**

<ul style="list-style-type: none"> <li>• Powered by 3 "AAA" alkaline batteries</li> <li>• 3.6 volt high-pressure xenon bulb; plus 5 ultra-bright, white, 100,000-hour life LEDs</li> <li>• Pre-focused, 650 nm wavelength, 5 mW, Class IIIa laser</li> <li>• 18 lumens typical with xenon bulb; 21 lumens with 5 LEDs</li> <li>• Up to 2.25 hrs. run time (xenon); up to 12 hrs. (5 LEDs)</li> <li>• <b>Length:</b> 5.38" <b>Diameter:</b> 1.57" <b>Weight:</b> 7.04 oz. <b>Color:</b> Matte Black</li> </ul>	52104	with alkaline batteries. Blister packaged. Black
	 Meets applicable European Community Directives	

**NON-RECHARGEABLE**

# TASK-LIGHT SERIES

They're ultra-compact, extremely durable, and powerfully bright with long runtimes. These affordable personal lights with dual lighting modes are the ideal lights to take anywhere, so you're ready for anything.



## COMMON FEATURES



- A. All models feature LED light source
- B. Computer machined anodized aluminum
- C. Enhanced knurled grip for easy handling
- D. O-ring sealed for water resistance
- E. Unbreakable polycarbonate lens
- F. Wrist lanyard



**TASK-LIGHT® 1AA** Ultra-compact, affordable flashlight has a long run time and fits in your pocket.



**TASK LIGHT® 2AA** 80% of the light output of a super high-flux LED with twice the run time. You can bring this affordable flashlight anywhere, anytime.



**TASK LIGHT® 3AAA** Compact LED flashlight with 80% of the light output of a super high-flux LED, includes an emergency strobe function.

UPDATED PRODUCT



**TASK-LIGHT® 3AA LED** The long life of an LED with the longer range and brighter beam of a conventional high-powered flashlight.

**TASK-LIGHT® 3AA LED**

- Powered by 3 "AA" alkaline batteries
- C4 Power LED is 3X brighter than a Super high-flux LED
- 1,600 candela (Peak Beam Intensity); 95 lumens typical
- Up to 16 hrs. run time
- **Length:** 8.6" **Diameter:** 1.33" **Weight:** 6.4 oz. **Colors:** Matte Black and Titanium

51006	with alkaline batteries. Blister packaged. Black
51016	with alkaline batteries. Blister packaged. Titanium
<p>Meets applicable European Community Directives</p>	

**TASK-LIGHT® 1AA**

- Powered by "1" AA alkaline battery
- 100,000 hour life LED
- Delivers 8 lumens typical (high), 2 lumens typical (low)
- Deep reflective optic for a bright beam
- Up to 80 hours continuous use

- 3-modes: high, low & strobe
- Runs up to 48 hours on emergency strobe only
- Holster included
- **Length:** 4.25" **Weight:** 3.1 oz. **Color:** Gun Metal Gray

Meets applicable European Community Directives

52101	with alkaline batteries. Blister packaged. Gun Metal Gray
-------	---

**TASK-LIGHT® 2AA**

- Powered by 2 "AA" alkaline batteries
- 100,000 hour life LED
- Delivers up to 25 lumens
- Deep reflective optic for a bright beam
- Up to 50 hours continuous use

- 3-modes: high, low & strobe
- Runs up to 48 hours on emergency strobe only
- Holster included
- **Length:** 6.8" **Weight:** 4.6 oz. **Color:** Gun Metal Gray

Meets applicable European Community Directives

52102	with alkaline batteries. Blister packaged. Gun Metal Gray
-------	---

**TASK-LIGHT® 3AAA**

- Powered by 3 "AAA" alkaline batteries
- 100,000 hour life LED
- Deep reflective optic for a bright beam
- Delivers up to 25 lumens
- Up to 45 hours continuous use

- 3-modes: high, low & strobe
- Runs up to 32 hours on emergency strobe only
- Holster included
- **Length:** 4.5" **Weight:** 5.1 oz. **Color:** Gun Metal Gray


Meets applicable European Community Directives

52103	with alkaline batteries. Blister packaged. Gun Metal Gray
-------	---

NON-RECHARGEABLE

## POCKET LIGHT SERIES

Thanks to Streamlight innovations, even the smallest most compact lights are now big on power and brightness. Just click on one of these "small wonders" and you'll be amazed at its illumination and range. And with runtimes up to 96 hours, you'll be amazed for a long time!



**CLIPMATE®** This innovative light rotates 360°, is equipped with three high-intensity LEDs and offers tremendous versatility in a little light.



**KEY-MATE®** The world's smallest, brightest, one-ounce, machined aluminum, one LED flashlight! The Key-Mate runs longer and stays brighter.



**NANO LIGHT®** Truly tiny, the Nano Light® is a weatherproof, personal flashlight featuring a 100,000 hour life LED. Includes a non-rotating snap hook for easy one handed operation when attached to a keychain.



**CUFFMATE®** An extended-reach handcuff key/flashlight with super-bright multi-directional dual LEDs.

**CLIPMATE®**

- Powered by 3 "AAA" alkaline batteries
- Three high-intensity, 100,000-hr. life LEDs
- 27 lumens typical (white LEDs) or 12 lumens (green LEDs)
- Up to 40 hrs. run time
- Includes elastic strap headband and lanyard
- Bezeled head rotates for on/off
- Unbreakable polycarbonate lens with rubber coating
- **Length:** 3.52" **Weight:** 2.4 oz. **Colors:** Yellow with three white LEDs, Black with a choice of white or green LEDs and RealTree® Hardwoods High Definition® (HD) Green with three green LEDs

<b>61100</b>	with White LEDs and alkaline batteries. Yellow
<b>61101</b>	with White LEDs and alkaline batteries. Black
<b>61102</b>	with Green LEDs and alkaline batteries. Black
<b>61115</b>	with Green LEDs and alkaline batteries. Camo

**CE**  
Meets applicable European  
Community Directives

**KEY-MATE®**

- Reflector optics deliver up to 400% more lighting range than traditional penlights
- Easily attaches/detaches to just about anything with convenient pocket clip or key ring
- Up to 96 hrs. run time
- Includes neck lanyard
- O-ring sealed for water-resistance
- Powered by 4 alkaline button cells (included)
- 100,000 hr. lifetime high-intensity LED with reflector optics
- LED available in white (10 lumens) or green (2.6 lumens)
- **Length:** 2.36" **Weight:** .9 oz. **Colors:** Black or Titanium with white or green LEDs, and RealTree® Hardwoods High Definition® (HD) Green with green LED

<b>72001</b>	with White LED with batteries. Blister packaged. Black
<b>72101</b>	with White LED with batteries. Blister packaged. Titanium
<b>72003</b>	with Green LED with batteries. Blister packaged. Black
<b>72203</b>	with Green LED with batteries. Blister packaged. Camo
<b>72016</b>	Filter Combo - Black Key-Mate w/ White LED, Red & Green Filters with lanyard

**CE**  
Meets applicable European  
Community Directives



Colored & Infrared Lenses

**NANO LIGHT®**

- Easily attaches/detaches to just about anything with convenient pocket clip or key ring
- Up to 8 hrs. run time
- Machined aircraft-grade aluminum with anodized finish
- Powered by 4 alkaline button cells (included)
- 100,000 hr. lifetime high-intensity LED
- LED available in white (10 lumens)
- **Length:** 1.47" **Weight:** .36 oz. **Color:** Black

<b>73001</b>	with White LED. Blister packaged. Black
--------------	---

**CE**  
Meets applicable European  
Community Directives

**CUFFMATE®**

- Compatible with most handcuff brands
- Made of virtually indestructible fiberglass-reinforced polymer
- Swiveling key ring connector for extra convenience
- Powered by two long-lasting, replaceable CR2016 lithium batteries
- Two 100,000-hr. life high-intensity LEDs
- 7 lumens typical
- Runs up to 7.5 continuous hrs. or 1,000s of momentary bursts of light
- **Length:** 3.25" **Width:** 1" **Weight:** .4 oz. **Color:** Black

<b>63001</b>	with batteries. Blister packaged.
--------------	-----------------------------------

**CE**  
Meets applicable European  
Community Directives

NON-RECHARGEABLE

# SPECIALTY SERIES

3-MODES:



1 LED  
Run Time  
130 hours

2 LEDs  
Run Time  
28 hours

XENON  
Run Time  
2.5 hours



**NIGHT COM®** This lithium powered flashlight combines High-Intensity Xenon illumination, state-of-the-art LED night vision protection and Streamlight's new Dual Switch System.

Streamlight's patent pending mode select dial allows the user to choose from 3 lighting positions and also has a safe mode position to insure the light is not switched on by mistake. In addition, the Dual Switch System features an engineered tailcap switch for Power On/Off and Signal.



UPDATED PRODUCT

**STREAMLIGHT JR.® REACH LED**  
With the ultra-bright, long-beam, C4 Power LED mounted on a flexible cable and the magnetic clip for easy mounting, you can put this handy light almost anywhere and see anything.



UPDATED PRODUCT

**STREAMLIGHT JR.® LED** Cutting-edge C4 Power LED technology and internal reflection optics make this ultra-compact light super-bright and ultra-convenient.

**NIGHT COM®**

- Powered by two 3 volt CR123A lithium batteries with a shelf life of nearly 10 years (included)
- 4.8 volt high-pressure xenon bulb; plus 2 ultra bright, and 1 indicator type 100,000-hour life LEDs
- 72 lumens typical with xenon bulb; 8 lumens from 2 LEDs
- Up to 2.5 hrs. run time (xenon); up to 130 hrs. (1 LED)
- Push-button tailcap – steady on and momentary on/off operation
- 3-position lighting – 2 ultra bright LEDs (red or green), 1 low power LED (red or green) for optimum night vision protection, and xenon
- Accessory holster available
- **Diameter:** 1.33" **Length:** 5.43" **Weight:** 5.44 oz. **Color:** Matte Black

51021

with lithium batteries. Blister packaged. Red LEDs

51023

with lithium batteries. Blister packaged. Green LEDs

CE

Meets applicable European  
Community Directives**STREAMLIGHT JR.® REACH LED**

- Includes extension cable that allows for 14" of "reach"
- C4 Power LED technology produces 2 to 3 times the output of previous LEDs
- Up to 1,600 candela (Peak Beam Intensity) and 55 lumens typical
- Machined aircraft aluminum casing with anodized finish is virtually indestructible
- Flexible cable protected by a durable PVC coating
- Up to 4 hours of runtime
- Push-button tailcap – steady on and momentary on/off operation
- Powered by 2 "AA" size alkaline batteries, included in package
- O-Ring sealed, water-resistant
- Packaged with magnetic clip holder for mounting & positioning
- **Length:** 20" (folded 9") reach length 14" **Weight:** 6.3 oz. **Color:** Black

71600

with alkaline batteries. Black

CE

Meets applicable European  
Community Directives**STREAMLIGHT JR.® LED**

- Powered by two "AA" alkaline batteries (included)
- C4 Power LED technology produces 2 to 3 times the output of previous LEDs
- Up to 1,600 candela (Peak Beam Intensity) and 55 lumens typical
- Up to 4 hours of runtime
- Push-button tailcap – steady on and momentary on/off operation
- Shock-resistant / water-resistant
- Includes black nylon flapless holster
- **Length:** 6.5" **Weight:** 3.8 oz. **Color:** Black


71500

with alkaline batteries. Black

CE

Meets applicable European  
Community Directives

PRINT P/N 33900 THIS SURFACE





# TECH SPECS //

TYPE LINE OVERVIEW



TECH SPECS



# STREAMLIGHT

## TECH SPECS



	<b>STINGER® LED</b>	<b>STINGER DS™ LED</b>	<b>STINGER®</b>	<b>STINGER XT®</b>	<b>POLYSTINGER®</b>	<b>STINGER HP®</b>
<b>Battery</b>	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery
<b>Light Source</b>	C4 Power LED	C4 Power LED	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb
<b>Case Material</b>	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Machined aluminum w/non-slip rubber grip	Nylon polymer w/non-slip rubber grip	Anodized, machined aluminum housing
<b>Colors</b>	Black	Black	Black	Black	Black, Yellow, Olive Drab	Black
<b>Weight (w/batteries)</b>	12.4 ounces (351.53 grams)*	12.8 ounces (364 grams)*	10 ounces (284 grams)*	11.1 ounces (315 grams)*	8.7 ounces (247 grams)*	12.2 ounces (345.9 grams)*
<b>Dimensions L x W x H</b>	8.41" x 1.62"	8.85" x 1.62"	7.38" x 1.6"	7.7" x 1.6"	7.4" x 1.67"	8.25" x 2.37"
<b>Run Time</b>	High / Med / Low 1.75 hrs/3.5 hrs/6.75 hrs	High / Med / Low 1.75 hrs/3.5 hrs/6.75 hrs	Up to one hour of continuous use	Up to one hour of continuous use	Up to one hour of continuous use	Up to one hour of continuous use
<b>Light Output</b>	18,000 candela, 140 Lumens	18,000 candela, 140 Lumens	15,000 candela, 125 Lumens	15,000 candela, 125 Lumens	15,000 candela, 125 Lumens	40,000 candela, 120 Lumens
<b>Special Features</b>	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification



	<b>FIRE VULCAN® LED</b>	<b>FIRE VULCAN®</b>	<b>VULCAN®</b>	<b>HID LITEBOX®</b>	<b>FIREBOX®</b>	<b>LITEBOX®</b>	<b>LITEBOX® DUAL FILAMENT</b>
<b>Battery</b>	Two, lightweight Lithium-Ion cells	4.5 Ah sealed lead-acid battery	4.5 Ah sealed lead-acid battery	12 volt, 7 Ah sealed lead-acid battery	6 volt, 12 Ah sealed lead-acid battery	6 volt, 12 Ah sealed lead-acid battery	6 volt, 12 Ah sealed lead-acid battery
<b>Light Source</b>	C4 Power LED & (2) ultra bright blue LEDs	Halogen bi-pin bulb & (2) ultra bright blue LEDs	Halogen bi-pin bulb	35 Watt HID xenon lamp	High-intensity halogen bi-pin bulb	High-intensity halogen bi-pin bulb	High-intensity halogen bi-pin bulb
<b>Case Material</b>	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle
<b>Colors</b>	Orange	Orange	Yellow, Orange	Orange, Black	Orange	Orange, Yellow	Orange, Yellow
<b>Weight</b>	1.85 lbs. (839 grams)*	3.3 lbs. (1.5 kilograms)*	3.3 lbs. (1.5 kilograms)*	10.1 lbs. (4.58 kilograms)*	7.4 lbs. (3.36 kilograms)*	7.4 lbs. (3.36 kilograms)*	7.4 lbs. (3.36 kilograms)*
<b>Dimensions</b>	7.5" x 5" x 6.5"	7.5" x 5" x 5.75"	7.5" x 5" x 6.5"	14.9" x 5.1" x 8.8"	11.5" x 5.1" x 7"	11.5" x 5.1" x 7"	11.5" x 5.1" x 7"
<b>Run Time</b>	Up to 3 hours of runtime	Up to 3.25 hours of continuous use	Up to 3.25 hours of continuous use	Up to 1.75 hours of continuous use	Up to nine hours of continuous use	Up to nine hours of continuous use	Up to nine hours of continuous use
<b>Light Output</b>	80,000 candela	80,000 candela, 150 Lumens	80,000 candela, 150 Lumens	1,000,000 candela, 3,350 Lumens	80,000 candela, 150 Lumens	105,000 candela, 400 Lumens	105,000 candela, 157 Lumens
<b>Special Features</b>	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification



	<b>STINGER XT HP®</b>	<b>ULTRASTINGER®</b>	<b>STRION®</b>	<b>SL-20X®</b>	<b>SL-20X®-LED</b>	<b>SL-20XP®</b>	<b>SL-20XP®-LED</b>
	3-Cell, 3.6 volt NiCd sub-C battery	5-Cell, 6 volt NiCd sub-C battery	3.75 volt Li-Ion	Ni-cd power cell	High-capacity NiCd sub-C battery	High-capacity NiCd sub-C battery	High-capacity NiCd sub-C battery
	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Halogen bulb	Halogen bulb & (3) white LEDs	Halogen bulb	Halogen bulb & (3) white LEDs
	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Nylon polymer w/non-slip foam grip	Nylon polymer w/non-slip foam grip
	Black	Black	Black	Black	Black	Black, Yellow, Orange	Black, Yellow, Orange
	14.6 ounces (413.9 grams)*	16.1 ounces (500 grams)*	4.6 ounces (8.22 grams)*	1.9 lbs. (.86 kilograms)*	1.7 lbs. (.77 kilograms)*	1 lb. (.45 kilograms)*	1.1 lbs. (.45 kilograms)*
	8.63" x 2.37"	11.75" x 2.37"	5.3" x 1.25"	13" x 2.5"	13.2" x 2.5"	13" x 2.5"	13.2" x 2.5"
	Up to one hour of continuous use	Up to one hour of continuous use	Up to 70 min. of continuous use	Up to 1.5 hours of continuous use	Up to 80 min. of contin. use / LEDs 40 hrs.	Up to 1.5 hours of continuous use	Up to 1.5 hrs. of contin. use / LEDs 40 hrs.
	40,000 candela, 120 Lumens	75,000 candela, 295 Lumens	12,000 candela, 116 Lumens	30,000 candela, 200 Lumens	38,000 candela, 200 Lumens/LED 30	25,000 candela, 150 Lumens	28,000 candela, 150 Lumens/LED 30
	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Adjustable focus, water resistant, o-ring sealed, serialized for identification	LED charge-continuity indicator, serialized for positive identification, o-ring sealed for water resistance	LED charge-continuity indicator, serialized for positive identification, o-ring sealed for water resistance	LED charge-continuity indicator, serialized for positive identification	LED charge-continuity indicator, serialized for positive identification



	<b>LITEBOX® POWER FAILURE</b>	<b>SURVIVOR® LED</b>	<b>SURVIVOR®</b>	<b>VANTAGE™</b>	<b>PROPOLYMER® 2AA</b>	<b>PROPOLYMER® 2AA LED</b>	<b>PROPOLYMER® 3N LED</b>
	6 volt, 12 Ah sealed lead-acid battery	4-Cell, 4.8 volt NiCd sub-C battery	4-Cell, 4.8 volt NiCd sub-C battery	(2) 3 volt CR123A Lithium battery	Two "AA" size alkaline batteries	Two "AA" size alkaline batteries	Three "N" size alkaline batteries
	High-intensity halogen bi-pin bulb	3 Watt Super High-Flux LED	Black-dot Xenon gas-filled bulb	C4 Power LED	Xenon gas-filled bi-pin bulb	.5W Super-Bright High-Flux 30,000 LED	(3) ultra bright white LEDs
	ABS thermoplastic w/cushioned-grip handle	Nylon polymer	Nylon polymer	Anodized, machined aluminum housing	Non-conductive polymer w/non-slip grip	Non-conductive polymer w/non-slip grip	Impact resistant polymer
	Orange, Beige	Yellow, Orange, Black	Yellow, Orange	Black	Yellow	Yellow, Black	Yellow, Black
	7.4 lbs. (3.36 kilograms)*	17.9 ounces (507.46 grams)*	15.4 ounces (437 grams)*	5.14 ounces (145.7 grams)*	3.6 ounces (102.6 grams)*	3.6 ounces (102.6 grams)*	2.1 ounces (59.54 grams)*
	11.5" x 5.1" x 7"	7.06" x 2.87"	6.75" x 2.87"	3.26" x 1.47" x 2.56"	6.3" x 1.3"	6.3" x 1.3"	5.25" x .96"
	Up to nine hours of continuous use	Up to 6 hours of continuous use	Up to 1.7 hours of continuous use	Up to 6 hours of runtime	Up to four hours of continuous use	Up to 18 hours of continuous use	Up to 120 hours of continuous use
	105,000 candela, 400 Lumens	65 Lumens	25,000 candela, 114 Lumens	80 Lumens	4,500 candela, 9 Lumens	25 Lumens	30 Lumens
	Serialized for positive identification	Serialized for positive identification, water resistant	Serialized for positive identification, water resistant	Serialized for positive identification, water-proof, swivel clamp	Waterproof, wrist lanyard connection, pocket clip	Waterproof, wrist lanyard connection, pocket clip	Wrist lanyard connection, pocket clip

# STREAMLIGHT

## TECH SPECS



	<b>PROPOLYMER® 4AA</b>	<b>PROPOLYMER® 4AA LED</b>	<b>PROPOLYMER® 4AA LUX DIV. 2</b>	<b>PROPOLYMER® 4AA LUX DIV. 1</b>	<b>PROPOLYMER® 3C</b>	<b>PROPOLYMER® 3C LED</b>
<b>Battery</b>	Four "AA" size alkaline batteries	Four "AA" size alkaline batteries	Four "AA" size alkaline batteries	Four "AA" size alkaline batteries	Three "C" size alkaline batteries	Three "C" size alkaline batteries
<b>Light Source</b>	Xenon module	Seven ultra-bright white LEDs	Super High-Flux LED	Super High-Flux LED	Xenon bulb	(10) ultra-bright white LEDs
<b>Case Material</b>	Impact resistant polymer	Impact resistant polymer	Impact resistant polymer	Impact resistant polymer	Non-conductive polymer	Non-conductive polymer
<b>Colors</b>	Yellow	Yellow, Black	Yellow, Black	Yellow, Black	Yellow	Yellow, Black
<b>Weight (w/batteries)</b>	6.3 ounces (178.6 grams)*	6.3 ounces (178.60 grams)*	7.52 ounces (213.19 grams)*	7.52 ounces (213.19 grams)*	13.5 ounces (382.73 grams)*	13.5 ounces (382.73 grams)*
<b>Dimensions L x W x H</b>	6.5" x 1.63"	6.5" x 1.63"	7" x 1.63"	7" x 1.63"	8.55" x 1.95"	8.55" x 1.95"
<b>Run Time</b>	Up to four hours of continuous use	Up to 155 hours of continuous use	Up to four hours of continuous use	Up to four hours of continuous use	Up to 336 hours of continuous use	Up to 336 hours of continuous use
<b>Light Output</b>	11,000 candela, 34 Lumens	67 Lumens	3,500 candela, 42 Lumens	3,500 candela, 42 Lumens	16,000 candela, 50 Lumens	85 Lumens
<b>Special Features</b>	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection, pocket clip	Waterproof, wrist lanyard connection, pocket clip



	<b>TL-2®</b>	<b>TL-2® LED</b>	<b>TL-3®</b>	<b>SIDEWINDER®</b>	<b>TLR-1®</b>	<b>TLR-2®</b>	<b>TWIN-TASK® 1 CELL LITHIUM</b>
<b>Battery</b>	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(3) 3 volt CR123A Lithium battery	2 "AA" batteries	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(1) 3 volt CR123A Lithium battery
<b>Light Source</b>	Xenon gas-filled bi-pin bulb	C4 Power LED	Xenon gas-filled bi-pin bulb	LEDs: White/Red/IR/Blue or White/Red/Green/Blue	3 Watt Super High-Flux LED	3 Watt Super High-Flux LED	(1) Xenon bulb, (3) ultra bright white LEDs
<b>Case Material</b>	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	High-impact, super-tough nylon case	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
<b>Colors</b>	Black	Black	Black	Coyote, Green	Black	Black	Matte Black, Titanium
<b>Weight</b>	4.2 ounces (119 grams)*	4.7 ounces (129 grams)	7 ounces (198 grams)*	4.96 ounces (140 grams)*	4.18 ounces (118.5 grams)*	4.72 ounces (133.81 grams)*	4.00 ounces (112 grams)*
<b>Dimensions</b>	4.9" x 1.25"	5.25" x 1.25"	6.25" x 1.6"	4.63" x 2.31"	3.26" x 1.47" x 1.44"	3.26" x 1.47" x 1.83"	4.09" x 1.33"
<b>Run Time</b>	Up to 80 minutes of runtime	Up to 3.5 hours of runtime	Up to one hour of continuous use	Up to 7 hours of maximum intensity	Up to 2.5 hours of maximum intensity	Up to 2.5 hours of maximum intensity	Xenon: up to 1.5 hours 3 LED: up to 9.5 hours
<b>Light Output</b>	7,900 candela, 78 Lumens	7,500 candela, 120 Lumens	11,500 candela, 211 Lumens	20 Lumens	80 Lumens	80 Lumens	Xenon: 29 Lumens LED: 24 Lumens
<b>Special Features</b>	Pocket clip, adjustable lanyard, serialized for positive identification, water resistant, shock proof model available	Anti-roll head, pocket clip, adjustable lanyard, serialized for positive identification, water resistant, anti roll head, solid state power regulation provides maximum light output throughout battery life	Pocket clip, adjustable lanyard, serialized for positive identification, water resistant, shock proof model available	O-ring sealed, water resistant, heavy duty drop-tested construction	Rail grip clamp system, waterproof and dustproof	Rail grip clamp system, dustproof	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction



	<b>PROPOLYMER® 3C LUX</b>	<b>PROPOLYMER® 3C LUX DIV. 1</b>	<b>SUPER TAC™</b>	<b>NIGHTFIGHTER®</b>	<b>NIGHTFIGHTER® LED</b>	<b>SCORPION®</b>	<b>SCORPION® LED</b>
	Three "C" size alkaline batteries	Three "C" size alkaline batteries	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery
	Super High-Flux LED	Super High-Flux LED	C4 Power LED	Xenon gas-filled bi-pin bulb	C4 Power LED	Xenon bulb	C4 Power LED
	Impact resistant polymer	Impact resistant polymer	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Machined aluminum w/ rubber-armored sleeve	Machined aluminum w/ rubber-armored sleeve
	Yellow, Black	Yellow, Black	Black	Black	Black	Black	Black
	14.6 ounces (413.9 grams)*	15 ounces (425.24 grams)*	7.1 ounces (200 grams)*	4.34 ounces (128 grams)*	5.2 ounces (147 grams)	4.7 ounces (133 grams)*	5.3 ounces (150 grams)*
	9.30" x 1.6"	9.30" x 1.6"	6.62" x 2.20"	4.8" x 1.25"	5.4" x 1.25"	4.90" x 1.25"	5.72" x 1.25"
	Up to 5.5 hours of continuous use	Up to 4 hours of continuous use	Up to 3.5 hours of continuous use	Up to 80 minutes of continuous use	Up to 3.5 hours of continuous use	Up to 80 minutes of continuous use	Up to 3.5 hours
	3,500 candela, 44 Lumens	3,500 candela, 44 Lumens	30,000 candela, 135 Lumens	7,900 candela, 78 Lumens	7,500 candela, 120 Lumens	7,900 candela, 78 Lumens	7,500 candela, 120 Lumens
	Waterproof, wrist lanyard connection, pocket clip	Waterproof, wrist lanyard connection, pocket clip	IPX7 Rated design, serialized for positive identification, O-ring sealing protects against moisture, LED solid state power regulation provides maximum light output throughout battery life	Pocket clip, adjustable lanyard, adjustable grip-ring, serialized for positive identification, water resistant	Anti roll head, pocket clip, adjustable lanyard, adjustable head allows for variable spot-to-flood focus, standard package includes spare bulb	O-ring sealing protects against moisture, adjustable head allows for variable spot-to-flood focus, standard package includes spare bulb	Anti-roll head, LED solid state power regulation provides maximum light output throughout battery life



	<b>TWIN-TASK® 2 CELL LITHIUM</b>	<b>TWIN-TASK® 2D</b>	<b>TWIN-TASK® 3AA</b>	<b>TWIN-TASK® 3C</b>	<b>TWIN-TASK® 3C-UV</b>	<b>NIGHT COM®</b>	<b>TWIN-TASK® 3C LASER</b>
	(2) 3 volt CR123A Lithium battery	Two "D" size alkaline batteries	Three "AA" size alkaline batteries	Three "C" size alkaline batteries	Three "C" size alkaline batteries	(2) 3 volt CR123A Lithium battery	Three "C" size alkaline batteries
	(1) Xenon bulb, (3) ultra bright white LEDs	(1) Xenon bulb, (10) ultra bright white LEDs	(1) Xenon bulb, (3) ultra bright white LEDs	(1) Xenon bulb, (6) ultra bright white LEDs	(1) Xenon bulb (6) UV LEDs	(1) Xenon bulb, (2) Ultra Bright LEDs, (1) LED	(1) Xenon bulb (5) White LEDs, (1) Laser
	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
	Matte Black, Titanium	Matte Black, Titanium	Matte Black, Titanium	Matte Black, Titanium	Matte Black, Titanium	Matte Black	Gun-Metal anodize
	5.44 ounces (152 grams)*	1.39 lbs. (632 grams)*	6.72 ounces (191 grams)*	1.00 lb. (449 grams)*	1.00 lb. (449 grams)*	5.44 ounces (152 grams)*	1.00 lb. (449 grams)*
	5.43" x 1.33"	8.35" x 2.19"	8.54" x 1.33"	9.02" x 1.68"	9.02" x 1.68"	5.43" x 1.33"	9.02" x 1.68"
	Xenon: up to 2.5 hours 3 LED: up to 28 hours	Xenon / 5 LED / 10 LED 9.5 hrs/80 hrs/50 hrs	Xenon: 160 minutes 3 LED: up to 80 hours	Xenon / 3 LED / 6 LED 5 hrs/160 hrs/100 hrs	Xenon / 3 LED / 6 LED 5 hrs/160 hrs/100 hrs	Xenon / 2 LED / 1 LED 2.5 hrs/28 hrs/130 hrs	Xenon / 5 LED / Laser 5 hrs/100 hrs/100 hrs
	Xenon: 72 Lumens LED: 25 Lumens	Xenon: 22 Lumens LED: 79 Lumens	Xenon: 29 Lumens LED: 30 Lumens	Xenon: 57 Lumens LED: 52 Lumens	Xenon: 57 Lumens	Xenon: 72 Lumens LED: 8 Lumens	Xenon: 57 Lumens LED: 21 Lumens
	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Black model (3) 365 nm and (3) 390 nm LEDs, Titanium model (6) 390 nm LEDs, micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	3-position lighting, red or green leds, micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction

# STREAMLIGHT

## TECH SPECS



	<b>TWIN-TASK® 3AAA LASER</b>	<b>TASK-LIGHT® 3AA LED</b>	<b>TASK-LIGHT® 1AA</b>	<b>TASK-LIGHT® 2AA</b>	<b>TASK-LIGHT® 3AAA</b>	<b>MICROSTREAM®</b>
<b>Battery</b>	Three "AAA" size alkaline batteries	(3) "AA" size alkaline batteries	(1) "AA" size alkaline battery	(2) "AA" size alkaline batteries	(3) "AAA" size alkaline batteries	(1) "AAA" size alkaline battery
<b>Light Source</b>	(1) Xenon bulb (5) White LEDs, (1) Laser	C4 Power LED	High intensity LED	High-intensity LED	High-intensity LED	.5 W High-Flux LED
<b>Case Material</b>	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
<b>Colors</b>	Matte Black	Matte Black, Titanium	Anodized, machined aluminum housing	Gun Metal Gray	Gun Metal Gray	Matte Black
<b>Weight (w/batteries)</b>	7.04 ounces (199.58 grams)*	6.40 ounces (180 grams)*	3.1 ounces (87.88 grams)*	4.6 ounces (130.41 grams)*	5.1 ounces (144.58 grams)*	1.04 ounces (29.7 grams)*
<b>Dimensions L x W x H</b>	5.38" x 1.35"	8.6" x 1.33"	4.25"	6.8"	4.5"	3.5" x .6"
<b>Run Time</b>	Xenon / 5 LED / Laser 2.25 hrs/12 hrs	Up to 16 hours of runtime	Up to 80 hours of continuous use	Up to 50 hours of continuous use	Up to 45 hours of continuous use	Up to 1.5 hours of regulated runtime
<b>Light Output</b>	Xenon: 18 Lumens LED: 21 Lumens	1,600 candela, 95 Lumens	8 Lumens	25 Lumens	25 Lumens	20 Lumens
<b>Special Features</b>	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	O-ring sealed, water resistant, heavy duty drop tested construction	O-ring sealed, water resistant	O-ring sealed, water resistant	O-ring sealed, water resistant	Tailcap switch, O-Ring Sealed, shock proof and drop tested construction, Waterproof, High Strength "Break Away" safety lanyard, Unbreakable pocket clip



	<b>BUCKMASTERS® TWIN-TASK® 2L</b>	<b>BUCKMASTERS® CAMO TRIDENT®</b>	<b>ARGO® HP LED HEADLAMP</b>	<b>ARGO® LED HEADLAMP</b>	<b>3AA HAZ-LO® LED HEADLAMP</b>	<b>TRIDENT® LED HEADLAMP</b>
<b>Battery</b>	(2) 3 volt CR123A Lithium battery	(3) "AAA" size alkaline batteries	(2) Lithium batteries	(3) "AAA" size alkaline batteries	(3) "AA" size alkaline batteries	(3) "AAA" size alkaline batteries
<b>Light Source</b>	(1) Xenon bulb, (3) safety green LEDs	(1) Xenon bulb, (3) safety green LEDs	C4 Power LED	C4 Power LED	Super High-Flux LED	(1) Xenon bulb, (3) ultra bright white LEDs
<b>Case Material</b>	Anodized, machined aluminum housing	Water resistant lightweight thermoplastic construction	Impact resistant ABS Case	Yellow ABS Case	Impact resistant ABS Case	Water resistant lightweight thermoplastic construction
<b>Colors</b>	REALTREE Hardwoods® Green HD camouflage	REALTREE Hardwoods® Green HD camouflage	Black	Yellow	Yellow	Yellow
<b>Weight (w/batteries)</b>	5.44 ounces (154 grams)*	4.64 ounces (131.54 grams)*	4.00 ounces (114.12 grams)*	4.75 ounces (134.66 grams)*	4.5 ounces (127.57 grams)*	4.64 ounces (131.54 grams)*
<b>Dimensions L x W x H</b>	5.43" x 1.33"	4.64 ounces (131.54 grams)*	2.00" x 3.00"	2.15" x 2.25"	2.55" x 2.53"	2.55" x 2.53"
<b>Run Time</b>	Xenon / 3 LED 2.5 hrs/28 hrs	Up to 150 hours of continuous use	62 Lum. / 16 Lum. 6.5 hrs / 30 hrs	56 Lum/25 Lum/11 Lum 7 hrs/12 hrs/20 hrs	Up to 11 hours of continuous use	Up to 150 hours of continuous use
<b>Light Output</b>	Xenon: 72 Lumens LED: 10 Lumens	Xenon: 12 Lumens LED: 11 Lumens	(2) Digitally Controlled 62 / 16 Lumens	(3) Digitally Controlled 56 / 25 / 11 Lumens	34 Lumens	Xenon: 12 Lumens LED: 24 Lumens
<b>Special Features</b>	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	(3) lighting modes, rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant	Water resistant construction, impact resistant housing – drop test verified, solid state power regulation, includes both elastic head strap and rubber hard hat strap	Water resistant design, includes both elastic and rubber head straps, LED battery indicator	Rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant	(3) lighting modes, rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant



	<b>STYLUS PRO®</b>	<b>STYLUS®</b>	<b>STYLUS REACH®</b>	<b>STYLUS REACH® 18</b>	<b>STREAMLIGHT JR.® REACH LED</b>	<b>STREAMLIGHT JR.® LED</b>	<b>TWIN-TASK®-RECHARGEABLE</b>
	(2) "AAA" size alkaline batteries	(3) "AAAA" size alkaline batteries	(3) "AAAA" size alkaline batteries	(3) "AAAA" size alkaline batteries	(2) "AA" size alkaline batteries	(2) "AA" size alkaline batteries	High-capacity NiCd sub-C battery
	.5 W High-Flux LED	High-intensity LED	High-intensity LED	High-intensity LED	C4 Power LED	C4 Power LED	Halogen bulb, (3) green & (3) blue LEDs
	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
	Matte Black	Black, Gold, Silver, Red, Flag, Blue, Camo	Black, Silver	Black, Silver	Black	Black	REALTREE Hardwoods® Green HD camouflage
	1.64 ounces (46.9 grams)*	1.1 ounces (31.19 grams)*	1.7 ounces (48.19 grams)*	3.5 ounces (99.22 grams)*	6.30 ounces (178.6 grams)*	3.80 ounces (107 grams)*	.66 lbs. (299.37 grams)*
	5.3" x .6"	6.21" x .365"	Folded: 6.75" Extended: 14"	Folded: 13" Extended: 25.5"	Folded: 9" Extended: 20"	6.5" x 1.0"	7.14" x 1.6"
	Up to 7.5 hours of regulated runtime	Up to 60 hours of continuous use	Up to 60 hours of continuous use	Up to 60 hours of continuous use	Up to 4 hours of continuous use	Up to 4 hours of continuous use	Up to 50 min. of contin. use / LEDs 16 hrs.
	24 Lumens	10 Lumens	10 Lumens	10 Lumens	1,600 candela, 55 Lumens	1,600 candela, 55 Lumens	Xenon: 95 Lumens LED: 22 Lumens
	Tailcap switch, O-Ring Sealed, shock proof and drop tested construction, Waterproof, Tear resistant nylon holster, Unbreakable pocket clip	Waterproof, individually serialized, pocket clip, glare guard protector, UV model available	Cable allows for 14" of reach, waterproof, individually serialized, aluminum clip	Cable allows for 25.5" of reach, waterproof, individually serialized, aluminum clip	Internal reflection optics, flexible PVC coated cable, o-ring sealed, water resistant design	Internal reflection optics, o-ring sealed, water resistant design	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction



	<b>GREEN TRIDENT® LED HEADLAMP</b>	<b>ENDURO® LED HEADLAMP</b>	<b>SEPTOR® LED HEADLAMP</b>	<b>CLIPMATE®</b>	<b>KEY-MATE®</b>	<b>CUFFMATE®</b>	<b>NANO LIGHT®</b>
	(3) "AAA" size alkaline batteries	(2) "AAA" size alkaline batteries	(3) "AAA" size alkaline batteries	(3) "AAA" size alkaline batteries	(4) LR 44 Alkaline coin cells	(2) CR2016 lithium batteries	(4) LR 44 Alkaline coin cells
	(1) Xenon bulb & (1) green, (2) white LEDs	.5W High-Flux LED	(7) ultra bright white LEDs	(3) ultra bright white or green LEDs	High intensity LED (white, blue, green)	Dual high intensity LED	High intensity LED
	Water resistant lightweight thermoplastic construction	Impact resistant ABS Case	Water resistant lightweight thermoplastic construction	Water resistant lightweight thermoplastic construction	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
	Green	Black, REALTREE Hardwoods™ Green HD camouflage	Yellow	Yellow, Black, Realtree® Camo	Black, Titanium, Realtree® Camo	Black	Black
	4.64 ounces (131.54 grams)*	2.75 ounces (78.5 grams)*	4.72 ounces (133.81 grams)*	2.4 ounces (66.7 grams)*	0.9 ounces (25.4 grams)*	0.4 ounces (11.3 grams)*	0.36 ounces (10.2 grams)*
	2.55" x 2.53"	1.6" x 2.25"	2.55" x 2.53"	3.52"	2.36" x .74"	3.25" x 1"	1.47" x .51"
	Up to 150 hours of continuous use	14.5 Lum./6 Lum. 6hrs/24 hrs	Up to 150 hours of continuous use	Up to 40 hours of continuous use	Up to 96 hours of continuous use	Up to 7.5 hours of continuous use	Up to 8 hours of continuous use
	Xenon: 12 Lumens LED: 18 Lumens	(2) Digitally Controlled 14.5 / 6 Lumens	7 LED/ 3 LED/ 1 LED 50 / 25 / 9 Lumens	27 Lumens white LEDs or 12 lumens green LEDs	10 Lumens (white LED)	7 Lumens	10 Lumens (white LED)
	(3) lighting modes, rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant	High-Flux LED, water resistant design, includes both elastic and rubber head straps, LED battery indicator, REALTREE Hardwoods™ Green HD camouflage pattern available	(3) lighting modes, rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant	Elastic strap head band and lanyard	Includes a spring steel pocket clip, swivel snap hook, and a neck/wrist lanyard	Double locking pin and unlocking key that fits S&W, Hiatt, American, Peerless, Quik-Kuf and HWC handcuffs, swiveling key ring connector with key ring included	Includes a spring steel pocket clip, swivel snap hook





# STREAMLIGHT

## FEATURES AT A GLANCE



	TRIDENT® HEADLAMP	GREEN TRIDENT® HEADLAMP	SEPTOR® HEADLAMP	CLIPMATE®	KEY-MATE®	CUFFMATE®	NANO LIGHT®
Rechargeable Time 12-14 hrs.							
Fast Charger Time 2-2.5 hrs.							
Alkaline	•	•	•	•	•	•	•
Lithium							•
Machined Aluminum					•		•
Polymer	•	•	•	•		•	
Waterproof							
Polycarbonate Lens	•	•	•	•	•		
High Temperature Lens							
LED	•	•	•	•	•	•	•
LED/Incandescent Combo	•	•					
Adjustable Focus	•	•					
Spare Bulb							
Push Button Switch	•	•	•				
Tailcap Switch							
FM APPROVED							
UL LISTED CLASSIFIED							
NFPA							
UL LISTED CLASSIFIED							
SP							
Ex							
MSHA							
CE	•	•	•	•	•	•	•

x= Specific Models Only  
 xx= Shock proof lamps available  
 xxx= UV Available

### STREAMLIGHT GLOSSARY OF TERMS

**AMP** The abbreviation for ampere and amperage. The unit used to measure electric current.

**AMPERE-HOUR** One ampere of current flowing for one hour.

**ANODIZING** An electro-chemical coating for aluminum. Hard, durable, and attractive. Anodized parts are highly corrosion resistant.

**ATEX** European safety rating. ATEX products are rated for use in or around explosive atmospheres.

**BI-PIN BULB** A bulb with two contact pins that plug into a socket allowing easy replacement.

**"BLACK DOT" BULB** The Black Dot prevents stray light and gives the beam the ability to shine through dense mist, fog, and smoke. Firefighters rely heavily upon the Survivor for this reason.

**CANDELA** Also called "candle." The unit of luminous intensity. One candela is equivalent to 12.57 lumens. At one time it was equal to the light from an actual burning "standard candle."

**CE** Flashlights carrying this symbol meet applicable European Community Directives, and can therefore be sold in Europe.

**DUAL FILAMENT** An option on the Vulcan and LiteBox, this bulb contains two filaments which enables users to instantly switch to the second filament when back-up lighting is needed.

**EX** Signifies conformance to European Standards for use in potentially explosive atmospheres.

**FM** Factory Mutual Research Corporation is a third-party testing organization that approves products for use in specified hazardous locations. The Vulcan carries an FM approval.

**HALOGEN AND XENON BULBS** Flashlights using bulbs filled with these gases are recognized by their extreme brilliance and white light. These bulbs are generally more efficient than ordinary bulbs and may last longer.

**HIGH TEMPERATURE LENS** Typically made of borosilicate glass which has low thermal expansion characteristics. Easy to clean, resists scratching, and has good shock resistance when properly mounted.

**INTRINSICALLY SAFE** Not capable of igniting a flammable atmosphere under both normal and "fault" conditions.

**LEAD ACID** Rechargeable battery chemistry used in the Vulcan and LiteBox. Unlike automotive batteries, Streamlight lead acid batteries will not spill acid. Streamlight batteries are sealed and do not contain free liquid.

**LED (Light Emitting Diode)** A high-intensity "solid-state" bulb which lasts up to 100,000 hours. Able to run for very long periods of time on very little power. Available in various colors including Ultra Violet.

**LITHIUM** Disposable batteries using lithium chemistry are gaining in popularity because of their light weight, high energy density, and shelf life of ten years. Lithium Ion rechargeable batteries, as used in the Strion, combine high capacity with small size and light weight.

**LUMEN** Unit of luminance. As used in reference to flashlights, it refers to the total amount of light radiated by the bare lamp, the LED, or the flashlight. Because this measurement does not consider the focusing efficiency of the reflector, it does not indicate how "bright" the focused beam will appear. A flood lamp with a very wide dim appearing pattern can have the same lumen rating as a very tightly focused intensely bright spot lamp assembly. Lumen ratings cannot be converted to beam Peak Beam Intensity.

**MACHINED ALUMINUM** Flashlight components made from this material are lightweight, durable, and can be held to tight manufacturing tolerances for superior performance in precision assemblies.

**NICKEL CADMIUM** (abbreviated NiCd) The most common rechargeable battery used in Streamlight products. It is the most rugged rechargeable technology and provides the highest performance/cost ratio. Must be recycled at end of life.

**NON-INCENDIVE** Not capable of igniting a flammable atmosphere under normal operating conditions.

**NON-CONDUCTIVE** Will not conduct electricity. Flashlights made with non-conductive case materials protect against electric shock should the flashlight touch an electrical source.

**O-RING** Used as a gasket to seal the flashlight case against dust and moisture.

**PEAK BEAM INTENSITY** The measurement of the brightest spot in a focused beam. An indication of the maximum intensity of the flashlight. The "hot spot" is equal in brightness to the number of "candles" required to produce the same illumination.

**POLYCARBONATE** Clear, tough, shatterproof, virtually unbreakable polymer used to make the lens in most Streamlight flashlights. Often hard coated for abrasion resistance.

**POLYMER** Material with a long chain molecular structure. Lightweight, highly durable, shock-resistant, non-conductive, and moldable in colors.


**PRE-FOCUSED LAMP MODULE** Lamp and reflector furnished and replaced as a unit. Permanently adjusted at the factory for optimum focus.

**REFLECTOR** Surrounds the lamp and directs and focuses the light rays in one direction. Streamlight reflectors are computer designed for optimum performance.

**UL** Underwriters Laboratories, Inc. is a third-party testing organization that approves products for compliance to electrical specifications and for use in specified hazardous locations.

**VOLT** Unit of electrical potential. The potential difference between two points in an electrical system is called the voltage between those points.

**WATT** Unit of power. Electrical power can be calculated by multiplying voltage times amperage.



*PERFORMANCE*

*RELIABILITY*

*DURABILITY*

*SINCE 1973*



GET MORE INFO AT: [WWW.STREAMLIGHT.COM](http://WWW.STREAMLIGHT.COM) / 800 523-7488

# STREAMLIGHT

## ACCESSORY PART NUMBERS



ACCESSORIES	
14055	Sidewinder Helmet Mount - Coyote
14056	Sidewinder Helmet Mount - Green
20110	SL-20X Lamp Module
20111	SL-20X-LED Lamp Module
20140	Switch Module (SL-20X)
20160	Lens (SL-20X, SL-20 XP, SL-20XP LED, Stinger HP, Stinger XT HP, UltraStinger, SL-20XP-LED) (Clear polycarbonate)
20170	Battery Stick (SL-20X) (NiCd Batteries)
20175	Battery Stick (SL-20X-LED) (NiCd Batteries)
21400	5 Unit Bank Charger, 120V (SL Series)
21401	5 Unit Bank Charger DC (SL Series)
24140	3C-XP Switch Module
22050	DC2 direct wire charge cord (All Rechargeables)
22051	DC1 Charge Cord (All Rechargeables)
22052	Charge Sleeve Assembly (SL-20X, SL-20X-LED, SL-20XP-LED) (**Cord not included)
22311	120V AC charge cord (All Rechargeables except UltraStinger Fast Charger and HID LiteBox)
25107	SL-20XP Lamp Module
22511	Safety Wand (SL-20X, SL-20X-LED, SL-20XP, SL-20XP-LED, 3C-XP) - Red
22512	Safety Wand (SL-20X, SL-20X-LED, SL-20XP, SL-20XP-LED, 3C-XP) - Blue
22513	Safety Wand (SL-20X, SL-20X-LED, SL-20XP, SL-20XP-LED, 3C-XP) - Glow in the Dark
22517	Safety Wand (SL-20X, SL-20X-LED, SL-20XP, SL-20XP-LED, 3C-XP) - White
22519	Safety Wand (SL-20X, SL-20X-LED, SL-20XP, SL-20XP-LED, 3C-XP) - Yellow
22665	120V AC Fast Charge cord (Required for UltraStinger and HID LiteBox)
22911	Ring Holder (SL-20X, SL-20X-LED, SL-20XP, SL-20XP-LED, 3C-XP)
24003	3C-XP Lamp Module
25090	Holster, SL Series (Nylon)
25127	SL-20XP-LED - Lamp Module
25140	SL-20XP Switch Module
25141	SL-20X-LED/SL-20XP-LED Switch Module
25170	Battery Stick (SL20-XP) (NiCd)
33004	3C Xenon Lamp Assembly
33221	3C White LED Lamp Module
33222	3C Blue LED Lamp Module
40163	Locking Device (keyed differently) (LiteBox) **Must be factory installed
40164-525	Locking Device (keyed alike) (LiteBox) **Must be factory installed
44007	Battery (Vulcan/Fire Vulcan)
44050	Quick Release Strap (LiteBox, Vulcan, Fire Vulcan)
44100	Charging Rack (Vulcan) Yellow
44101	Charging Rack (Vulcan, Fire Vulcan) Orange
44130	Direct Wire 12V DC Charging Rack (Vulcan) Yellow
44131	Direct Wire 12V DC Mounting Rack (Vulcan, Fire Vulcan) Orange
45070	Standard System Mounting Rack Orange, LiteBox, FireBox, HID LiteBox
45071	Direct Wire 12V DC Mounting Rack Orange, LiteBox, FireBox, HID LiteBox
45072	Standard System Mounting Rack Yellow, LiteBox, FireBox
45073	Mounting Rack (LiteBox) Beige
45074	Direct Wire 12V DC Mounting Rack Yellow, LiteBox, FireBox
45075	Standard System Mounting Rack Black, HID LiteBox
45076	Direct Wire 12V DC Mounting Rack Black, HID LiteBox
45232	Shoulder Strap (LiteBox, FireBox, HID LiteBox, Vulcan, Fire Vulcan)
45630	Battery - HID LiteBox

45637	HID Bulb Kit
45638	HID lens/reflector assembly
45654	HID IR Filter
45657	HID Flood Lens
45901	8 Watt Bi-Pin Bulb (100 Hr) (LiteBox, Vulcan, Fire Vulcan)
45902	20 Watt Bi-Pin Bulb (100 Hr) (LiteBox)
45903	8 Watt Bi-Pin Bulb (300 Hr) (LiteBox)
45908	8 Watt Flood Lamp Assembly (LiteBox)
45910	20 Watt Flood Lamp Assembly (LiteBox)
45911	8 Watt Spot Lamp Assembly (LiteBox, FireBox)
45913	20 Watt Spot Lamp Assembly (LiteBox)
45915	8W Dual Filament Lamp Assembly
45921	8 Watt Dual Filament Bulb (LiteBox, Vulcan)
45937	Battery (LiteBox)
51101	Twin-Task 2D Xenon Bulb
51102	Twin-Task 3C Xenon Bulb
51103	Twin-Task 3AA Xenon Bulb
51104	Twin-Task 1L Xenon Bulb
51105	Twin-Task 2L, Night Com Xenon Bulb
51107	Twin-Task Rechargeable Xenon Bulb
51175	Twin-Task Rechargeable Battery Stick
51201	Twin-Task 3C/3C UV/3C Laser Holster
61001	Battery Cartridge (Trident & Septor)
61004	Xenon Bulb (Trident and TT-3AAA Laser)
61205	Nano Light battery (packaged 1 ea)
63030	Coin Cell batteries - 2 pack (CuffMate)
64030	"N" Cell batteries - 6 pack
65030	AAAA Batteries - 6 pack
65031	Stylus Glare Guard
65905	Nylon Holster, Stylus
67007	2AA Xenon Lamp Assembly
67103	2AA LED Assembly
68025	4AA helmet clamp (metal), Fire
68220	4AA Xenon Lamp Assembly
68221	4AA White LED Lamp Module
68222	4AA Blue LED Lamp Module
68905	4AA Holster
69015	Bezel Assembly (M-3, M-3 LED, M-6) †
69095	Bezel Assembly (M-3X, M-6X) †
69017	Switch Assembly, (M-3, M-3 LED, M-6) †
69019	M-3/M-6 Remote Switch (Handgun) †
69022	M-3/M-6 Remote Switch (Shotgun) †
69085	H&K USP Full Size Adapter (TLR)
69091	H&K USP Compact Adapter (TLR)
69100	Rail Mount (TL Series, Super Tac)
69114	Vertical Grip with Rail (TLR, TL series, Super Tac) - machined aluminum, hard anodized rail grabber vertical foregrip with integral Picatinny rail and storage compartment
69115	Flip Lens (TLR) - Red
69116	Flip Lens (TLR) - Blue
69117	Flip Lens (TLR) - Green
69118	Flip Lens (TLR) - IR
69130	TLR Remote Door/Switch Assy
69132	TLR Remote Tape Switch Plug, Straight
69134	TLR Remote Pressure Switch Plug, Coil
69135	TLR Remote Pressure Switch Plug, Straight
69175	TLR Key Kit - Includes Rail Locating Keys for Glock style, 1913 Picatinny, S&W 99/ TSW, and Beretta 90two and mounting tools
69201	Holster, TLR-1